


BIOGEOGRAPHY OF INDIAN FISHERIES



Vol. II, No. 4
December, 1972

CENTRAL INLAND FISHERIES RESEARCH INSTITUTE
(Indian Council of Agricultural Research)
BARRACKPORE, WEST BENGAL
INDIA



BIBLIOGRAPHY OF INDIAN FISHERIES

(World-List Abbreviation : Biblphy Indian Fish.)

Volume 11, No. 4

December, 1972

Complied

by

B.N. Saigal

Amitabha Ghosh

P.K. Chakraborti

A.K. Datta

Anjali Ghosh (Miss)

CONTENTS

		<u>Page</u>
I. Entries	...	59 - 92
II. Cumulative Author Index, Nos 1-4	...	A 10 - A 15
III. Cumulative Subject Index, Nos 1-4	...	S 6 - S 10
IV. Cumulative Taxonomic Index, Nos 1-4	...	T 18 - T 37
V. Cumulative Serial Index, Nos 1-4	...	P 5 - P 10

I. ENTRIES

210. Abraham Saramma 1972
 (Indian Ocean Biological Centre, Cochin-18, India).
 A redescription of Heliadiaptomus cinctus (Gurney, 1907) and Allodiaptomus mirabilipes Kiefer, 1936 (Copepoda, Calanoida) and their occurrence in Cochin backwaters, India. Crustaceana, 22(Part-3):249-258
 12 ref.
211. Agrawal, H.P. 1972
 (High Altitude Zoology Field Stn., Zoological Survey of India, Saproon, Solan (H.P.)).
 Shell area in the backwater oyster Crassostrea gryphoides (Schlothheim). Curr. Sci., 41(11): 428p
- The knowledge of shell area is useful for prediction of total production of commercially important molluscs in relation to the bottom area. The studies on the shell area of one backwater oyster have been discussed. 1 ref.
212. Alikunhi, K.H. 1969
 (Director, Central Institute of Fisheries Education, Versova, Bombay).
 Fisheries education and training in India.
In Dr. C.V. Kulkarni's Felicitation Souvenir, Indian Fisheries Association, Bombay, Inaugural Volume, November, 1969 : 3p.
213. Anon 1972
 Methodology for preimpoundment survey techniques for preparation of reservoirs for fish culture. Misc. Contr. cent. Int. Fish. Res. Inst. Barrackpore, (8): (Mimeo.)
 59 p.
214. _____ 1972
 News and notes. Seafd export J. 4(1):171-176
- Contains notes like "India exports fishing vessel", "Public sector fisheries company for Gujarat" etc.

215. _____ 1972
News and notes. Ibid, 4(8) : 43-46

Contains notes on - "Packaging" training programme at Udyogamandel, Fisheries exhibition by CIFT.

216. Babu Rao, M. 1971
(Zoological Survey of India, 8, Lindsay street, Calcutta-16, India).
A new anchovy, Thryssa gautamiensis n. sp.
(Pisces : Engraulidae), from the Godavari Estuary, India. Copeia, 3:479-483

Description of a new species of the genus Thryssa from the Godavari estuary has been given. Relationship of the new species with the other species of the genus are also discussed. 8 ref.

217. Balasubramanyan, R. 1972
(Central Institute of Fisheries Technology, Craft & Gear Division, Cochin-5).
Fishing boats out of steel and cement
(Ferro-cement) world opinion. Seafd export J., 4(1):137-142.

218. Balasubrahmanyam, S.P. 1972
(Director of Fisheries, Andhra Pradesh).
A review of the programme for the development of marine products in the state with special reference to exports. Ibid, 4(1):105-108.

219. Banerjea, S.M. 1972
(Central Inland Fisheries Research Institute, Barrackpore).
Role of soil and water in pond fertility.
Souvenir Silver Jubilee of CIFRI, Barrackpore:56-62.

220. Barrackpore, Central Inland Fisheries Research Institute 1971.
Annual Report, 1971: 118p.
221. Bhowmick, R.M. 1972
(Central Inland Fisheries Research Institute,
Barrackpore).
Hybridization of carps in India. Souvenir Silver
Jubilee of CIFRI, Barrackpore :34-38.
222. Bhullar, K.S. 1972
(Fisheries Commissioner, Govt. of Gujarat, Ahmedabad)
Credit for fishing industry. Seafid export J.
4(1):51-55.
223. Biswas, K.P.¹ and G.N. Saha² 1972
(¹Directorate of Fisheries, Orissa, Cuttack.
²Central Inland Fisheries Research Substation,
Cuttack).
A new observation on large scale disintegration of
eggs of Indian major carps during development.
Fish Technol., 9(1):83-84. 5 ref.
224. Chakrabarty, R.D. 1972
(Central Inland Fisheries Research Institute,
Barrackpore).
Composite culture of Indian and exotic fishes.
Souvenir, Silver Jubilee of CIFRI, Barrackpore :25-29.
225. Chandrasekhar, K. and D. Khosa 1972
(Surgical Research laboratory, Institute of Medical
Sciences, Banaras Hindu University, Varanasi-5).
Histomorphological studies on the neuro secretory
system of three genera of freshwater teleostean
fishes. Proc. Indian Acad. Sci. (B), 75(6):257-265.

Describes the histomorphology of the hypothalmo-
hypophysial neuro secretory system of three freshwater fishes,
namely, C. batrachus, H. fossilis and C. punctatus. 33 ref.

226. Chaudhuri, H. 1972
 (Central Inland Fisheries Research Institute)
 Induced spawning of Indian and exotic carps.
Souvenir, Silver Jubilee of C.I.F.R.I., Barrackpore:
 19-24.

Deals with induced spawning of Indian major carps and exotic carps; the breeding and hatching technique etc.

227. Cherian, C. 1972
 Export outlook for Indian marine products.
Seafd export. J., 4(1):1-4.

228. Choudhury, A. and A.K. Chandra 1972
 (Protozoology Laboratory, Department of Zoology,
 Calcutta University, 35, B.C. Road, Calcutta-19).
 Occurance of Phacus sp. (Protozoa : Mastigophora)
 in the gut of Tilapia mossambica (Hamilton).
Curr. Sci. 41(18): 686 p.

Reports the presence of Phacus sp. along with an infection of Trichodina sp. in the rectum of T. mossambica. The flagellates were found to occur in large numbers in the rectum in moderate numbers in the small intestine but absent in the stomach. Culture, in artificial media, of the protozoon has also been discussed. 1 ref.

229. David, A. 1972
 (Central Inland Fisheries Research Institute,
 Barrackpore).
 Development of tank fisheries in India. Souvenir,
Silver Jubilee of CIFRI, Barrackpore :144-147

230. Dehadrai, Padmakar V. 1972
 (Central Inland Fisheries Research Institute,
 Barrackpore).
 Utilisation of swamps for culture of air-breathing fishes. Souvenir, Silver Jubilee of CIFRI,
Barrackpore : 68-72.

Gives an account of the ecology of swamps & their utilization in culture of air-breathing fishes.

231. Desai, V.R. and K.J. Rao 1970

(Fisheries Research laboratory, Bhopal).

On the occurrence of natural hybrid of Catla-rohu in Madhya Pradesh. J. Zool. Soc. India, 22(1&2): 41-46.

The authors have described a hybrid of catla & rohu collected from a tank in Madhya Pradesh. The morphometric characters of the hybrid and that of the parent species have been compared. 11 ref.

232. Directorate of Fisheries Haryana

Annual administration report, 1969-70. (In Hindi); 49 pp.

233. Dutt, S. 1972

Skirmishes on fishing grounds. Seafd. export J. 4(1):147-149.

234. Dutt, S and B.V. Seshagiri Rao 1972

(Department of Zoology, A.U. Post-graduate Centre, Guntur-5).

On a new species of anchovy of the genus Coilia Gray, 1831. J. Bombay nat. Hist. Soc., 69(1):136-138.

A fish, stated to be a new species, named Coilia Korua, has been described. 5 ref.

235. Dutta, P. 1972

(Central Inland Fisheries Research Institute, Barrackpore).

Inland fisheries statistics of India. Souvenir, Silver Jubilee of CIFRI, Barrackpore : 175-176.

236. Dwivedi, M.P.¹ and B.S. Chauhan² 1970
 (Assistant Professor of Zoology, Government College, Betul, M.P., India) ²Deputy Director, Zoological Survey of India, 34, Chittaranjan Avenue, Calcutta-12).
 On some digenetic trematodes, Part II. J. zool. Soc. India, 22(1 & 2):87-96.

The paper deals with digenetic trematodes of different vertebrates including Rana tigrina and other frog species. 16 ref.

237. _____ 1970
 (1Assistant Professor of Zoology, Government College, Betul, M.P., India. 2Zoological Survey of India, 34, Chittaranjan Avenue, Calcutta-12).
 On some digenetic trematodes, Part III. Ibid, 22(1 & 2): 155-172.

Describes a trematode species from Rana limnocharis. Redescription of a trematode infecting R. tigrina is also given. 13 ref.

238. Edward, Rivlin 1972
 (President, Arista Industries Inc., New York).
 Brighter prospects ahead. Seafd export J. 4(1):41-42.

The author has given his views on the prospects of sea food industry in India.

239. Ernakulam, Central Institute of Fisheries Technology 1972
 12 years of Fisheries technological research. 39 p.

240. Farber, P.I. 1972
 (Continental Seafoods Inc., U.S.A.)
 Scientific utilization of fishery wealth imperative.
Seafd export J., 4(1):95-96.

The author has expressed his views regarding the seafood industry of India specially pertaining to shrimp.

241. Ghosh, Anjali 1972

(Central Inland Fisheries Research Institute, Barrackpore).

Library and Documentation Service of Central Inland Fisheries Research Institute. Souvenir, Silver Jubilee of CIIRI, Barrackpore : 177-178.

242. Gokhale, S.V. 1972

(Agricultural Finance Corporation Ltd. Bombay-1).

Survey of India's export potential of marine products by the Indian Institute of Foreign Trade -- An analysis . Seafd export J., 4(1):85-93.

243. Gopala Menon, P. 1972

(Indian Ocean Biological Centre, P.O. Box 1913, Cochin 18, India).

Decapod crustacea from the international Indian Ocean expedition the larval development of Heterocarpus (Caridea). J. zool., Lond., 167:371-397.

Larval development, distribution and systematic position of H. ensifer have been discussed. 28 ref.

244. Gopalakrishna Iyer, T.S. and M.K. Kandoran 1972

(Central Institute of Fisheries Technology, Cochin-11).

A proforma for assessment of the levels of sanitation in fish processing establishment. Fish. Technol., 9(2):109-114.

Different aspects of sanitation which may directly or indirectly affect the quality of the end product in fish processing have been dealt with. A proforma for the assessment of hygienic conditions has been given. 4 ref.

245. Gopalakrishna Pillai, A.G. and N. Unnikrishnan Nair 1972
(Central Institute of Fisheries Technology, Craft and Gear Division, Cochin-11).
Experimental formulation of an anti fouling point with Tributyl tin oxide as toxic pigment. Ibid, 9(2):153-158. 12 ref.
246. Gopalakrishnan, V. 1972
(Senior Fishery Scientist, Central Inland Fisheries Research Institute, Barrackpore, West Bengal).
Recent trends of research in coastal aquaculture. Seafd export J. 4(1):127-135.

Gives an account of the modern development of coastal aquaculture; the species normally used in brackish water culture, seed production and artificial propagation of the seed, management of brackish water farms, disease, predators and pollution problems of brackish water culture etc. 8 ref.
247. _____ 1972
(Central Inland Fisheries Research Institute, Barrackpore).
The fisheries of open estuaries of India. Souvenir, Silver Jubilee of CIFRI, Barrackpore : 153-158
248. Gopalakrishnayya, Ch. 1972
(Central Inland Fisheries Research Institute, Barrackpore).
Fisheries of brackish water lakes-- Chilka, Pulicat & Vembanad. Ibid, : 159-164.
249. Gopinathan, C.P. 1972
(Central Marine Fisheries Research Institute, Cochin).
Basic food from the sea. Seafd export J. 4(1):109-112.

The article deals with marine plankton in general.

250. Gore, P.S. 1972

(National Institute of Oceanography, Miramar, Goa).
Some bacteria isolated from marine plankton and mud.
Fish. Technol. 9(1):48-63.

57 strains of bacteria isolated from marine plankton and mud from the inshore water of Cochin have been described.
10 ref.

251. Gurumani, N. 1971

(Department of Zoology, Pachaiyappa's College, Madras-30).

The occurrence of thyroid follicles in the Head-kidney of Mystus vittatus (Bloch). J. zool. Soc. India, 23(1):29-32. 15 ref.

252. Government of Gujarat 1971

Annual administration report of Fisheries Department for the year 1968-69. 20 p.

253. Govindan, T.K. 1972

"Convenience" foods from fish. Seafd export J. 4(1):157-160.

254. _____ 1972

The oil sardine-- an energetic food and potent industrial raw material. Ibid, 4(8):37-41.

Gives an account of the biology and fishery of Sardinella longiceps, methods of preservation of the fish, extraction of sardine oil etc.

255. Gowri, V., M.S. Vasantha, M.S. Srinivasan and M.N. Moorjani 1972

(Central Food Technological Research Institute, Mysore-24 (India)).

Methionine content of some of the important species of Indian fishes. Fish. Technol., 9(2):180-181.

From the results of their experiments the authors have concluded that the species of the genus Labeo, Cyprinus carpio and Catla catla are rich in Methionine content. Thynnus spp. and Sardinella longiceps were also been found to be rich in the amino-acid content. 3 ref.

256. James Arul, M. and K.M. Iyer 1972

(Central Institute of Fisheries Technology,
Ernakulam, Cochin-11).

Studies on isolation of Salmonella from seafoods.

1. Comparison of enrichment and selective media for recovery of Salmonellae from fish. Ibid, 9(2):115-121.

Total absence of Salmonella in the raw and processed fish is essential for the protection of consumer. Comparative efficiency of three enrichment broths and six plating media for the detection of Salmonella have been given. 38 ref.

257. Jana, B.B. and N.C. Sukul 1972

(Department of Zoology, Visva-Bharati University,
Santiniketan, West Bengal, India).

Colour vision in an Indian fish Anabas testudineus
(Cuv). J. Bombay nat. Hist. Soc. 69(1):10-16.

The authors have shown that the Indian climbing perch responds to different colours and they can easily be trained to discriminate different colours like red from green or yellow even green from blue. It is therefore concluded that some sort of mechanism for colour vision is present in the fish. 10 ref.

258. Jayaram, K.C. 1971

(Zoological Survey of India, Calcutta)

Siluroid fishes of India, Brma and Ceylon.

18, Resurrection of the genus Nangra Day and its systematic position (Sisoridae). J. zool. Soc. India, 23(2):171-174. 13 ref.

259. _____ 1971
 (Zoological Survey of India, Calcutta).
 Contributions to the study of Bagrid fishes.
 8. First record of Pimelodus chandramara Hamilton
 (Siluroidea : Bagridae). Ibid, 23(2):131-133.
 6 ref.
260. Jhingran, V.G. 1969
 (Central Inland Fisheries Research Institute,
 Barrackpore).
 Some recent advancement in inland fish culture in
 India. In Dr. C.V. Kulkarni's Felicitation Souvenir,
Indian Fisheries Association, Bombay, Inaugural Volume
November, 1969 : 8 p.
261. _____ 1970
 (Central Inland Fisheries Research Institute,
 Barrackpore).
 The problem of aquatic pollution in India.
Proceedings of the Seminar on Pollution and Human
Environment, August, 26-27, 1970. Bhabha Atomic
Research Centre, Trombay : 304-312.
262. _____ 1972
 (Central Inland Fisheries Research Institute,
 Barrackpore).
 Fish culture - India on verge of break through.
Financial Express, 12(2 & 6): 7p.
263. _____ 1972
 (Central Inland Fisheries Research Institute,
 Barrackpore).
 Twenty-five years of fisheries research at the
 Central Inland Fisheries Research Institute.
Souvenir Silver Jubilee of CIFRI, Barrackpore:1-12.

264. Joseph, K.M. 1972

(Deputy Director, Offshore Fishing Station,
Government of India, Cochin-5).

A profile of the deep sea fishery resources off
the south-west coast of India. Seafd export J.,
4(1):97-104. 8 ref.

265. _____ 1972

(Deputy Director, Offshore Fishing Station,
Government of India, Cochin-5).

Some observations on the exploitation of the
Indian Ocean tuna resources. Ibid, 4(8):11-18.

The results of exploitory fishing operations
conducted during the period 1964-67 along the west coast
of India have been discussed. The species composition,
size composition, catch rate, seasonal fluctuations etc.
have been dealt with. 5 ref.

266. Kamat, S.V., S.G. Gaonkar and U.S. Kumta 1972

(Biochemistry and Food Technology Division,
Bhabha Atomic Research Centre, Trombay, Bombay-85).
Studies on radiation pastourisation of medium fatty
fish III. storage properties of white pomfret
(Stromateus cinereus) fillets. Fish Technol.,
9(1):25-30. 26 ref.

267. Kamat, S.V. and U.S. Kumta 1972

(Biochemistry and Food Technology Division, Bhabha
Atomic Research Centre Trombay, Bombay-85).
Studies on radiation pastourisation of medium fatty
fish. 1. Control of radiation induced oxidative
changes in white pomfret (Stromateus cinercus) by
vacuum packaging. Ibid, 9(1):8-16. 30 ref.

268. Karamchandani, S.J. 1972

(Central Inland Fisheries Research Institute, Barrackpore).
Mahseer-- a sport fish of India. Souvenir, Silver
Jubilee of CIFRI, Barrackpore :132-137.

269. Kewalramani, K.M. 1972

(Superintendent of Fisheries, Godhra, Gujarat).

Theory and practice of tagging with reference to commercially important fishes of India. Seafd export J. 4(1):151-156.

Describes in detail the importance of tagging and marking in fishes. Process of clipping and tagging, Common tags used, the national programme of fish tagging and disadvantages of tagging etc. are discussed.

270. Khan, H.A. 1972

(Central Inland Fisheries Research Institute, Barrackpore).

Breeding of catfishes under controlled conditions.

Souvenir Silver Jubilee of CIFRI, Barrackpore :73-78.

271. Khan, R.R. 1972

(Central Inland Fisheries Research Institute, Barrackpore).

Analysis of scientific contributions of Central Inland Fisheries Research Institute. Ibid, :165-173.

272. Khan Saghir H., A. Qayyum Siddiqui and Absarul Hasnain 1972

(Department of Zoology, Aligarh Muslim University, Aligarh, India).

The hypotonic fragility of some fish erythrocytes.

Proc. Indian Acad. Sci., (B), 75(6):266-270.

Osmotic fragilities of R.B.C. under standard hypotonic solutions of NaCl in three species of fish, e.g., C. punctatus, C. striatus and C. batrachus have been discussed. 6 ref.

273. Krasnogor, G. 1972

Instruments to locate fish schools. Seafd export J. 4(7):43-45.

Different instrumental methods for locating the fish under the water have been discussed.

274. Krishna Iyer, H. 1972
 (Central Institute of Fisheries Technology,
 Cochin-11).
 Methods of sensory evaluation of quality and
 application of statistical methods in sensory
 evaluation problems with special reference to
 fishery products. Fish. Technol., 9(2):104-108.

Sensory evaluation is one of the reliable methods
 for evaluation of the freshness of raw and processed fish
 products. Existing methods of sensory evaluation and the
 statistical methods for assessing the quality of raw and
 processed fish have been reviewed. 13 ref.

275. Krishna Raj, M. 1972
 (Coronet Canning Company, Malpe, Mysore State).
 Western coastal shrimp fishing industry in the
 doldrums. Seafd export J. 4(1):143-146.

276. Krishna Rao, K. 1972
 (Central Institute of Fisheries Technology,
 Ernakulam, Cochin-11).
 On control of drained weights in some fishery
 products. Fish. Technol. 9(1):1-4.

Gross weights of canned and frozen prawns are
 correlated with the drained weight. The control of drained
 weight by application of control chart for gross weight has
 been discussed. 2 ref.

277. Krishna Rao, K. and R. Gopalakrishnan Nair 1972
 (Central Institute of Fisheries Technology,
 Cochin-11).
 Prices of Indian frozen shrimp in U.S. Market--
 a note on seasonal variation. Ibid, 9(2):182-183.
 3 ref.

278. Kumta, U.S. and Kamat, S.V. 1972
 (Biochemistry and Food Technology Division,
 Bhabha Atomic Research Centre, Trombay, Bombay-85).
 Studies on radiation pasteurisation of medium fatty
 fish II. Precursors of yellow discolouration in
 irradiated white pomfret (Stromateus cinereus).
Ibid, 9(1):17-24. 25 ref.
279. Lakshmanan, M.A.V. 1972
 (Central Inland Fisheries Research Institute,
 Barrackpore).
 Hatchling to table-sized carp - management of
 nursery, rearing and stocking ponds. Souvenir,
Silver Jubilee of CIFRI, Barrackpore : 63-67.
280. Mahajan, C.L. 1971
 (Department of Zoology, University of Rajasthan,
 Jaipur, India).
Sisor rabdophorus - a study in adaptation and
 natural relationship. 4. The head and pectoral
 musculature. J. Zool., Lond., 165(part II):163-182.

 Gives an account of the head and pectoral
 musculature of the fish S. rabdophorus. The specialization
 and peculiarities of the musculature have been correlated
 with the sluggishness and bottom dwelling habits of the
 fish. 28 ref.
281. Maheshwari, S.C. 1971
 (Jankidevi Bajaj College of Science, Wardha).
 The cephalic sensory canals of Mastocembelus
armatus Lecepede. J. zool. Soc. India, 23(2):
 163-166. 13 ref.

282. Malhotra, J.C. 1972
(Central Inland Fisheries Research Institute, Barrackpore).
Hilsa -- its breeding and possibilities of culture.
Souvenir Silver Jubilee of CIFRI, Barrackpore: 85-89.
283. Mathai, Joseph, T. and N.A. George 1972
(Central Institute of Fisheries Technology Craft & Gear Division, Cochin-5).
A note on the comparative catch efficiency of nylon over cotton gill nets in reservoir fishing.
Fish Technol 9(1):81-82. 8 ref.
284. Mathur, D.S.¹ and G.M. Yardani² 1970
(¹Zoological Survey of India, Central Regional Station, Pachpedi, Jabalpur. ²Zoological Survey of India, Eastern Regional Station, Fruit Garden, Shillong).
Namacheilus rajasthanicus, a new species of loach from Rajasthan. J. zool. Soc. India, 22(1 & 2):97-100.

The authors have described a new species of the genus Namacheilus from Rajasthan. Distinguishing features and relationship of the new species have been discussed. 3 ref.

285. Menon, A.G.K. and K.V. Rama Rao 1970
(Zoological Survey of India, Calcutta).
Systematic position of Brotula jerdoni Day, a shallow-water brotulid fish from the Bay of Bengal. Ibid, 22(1 & 2):47-50.

The authors, from their studies, have concluded that genus Brotula Day should be placed under the genus Sirembo Bleeker. 6 ref.

286. Menon, A.G.K., K.V. Rama Rao and T.K. Sen 1972
(Zoological Survey of India, 27, Chowringhee Road, Calcutta-13).
The Hooghly and its fishes in the past, the present and the future with special reference to the Farakka barrage on the Ganga. Sci. & Cult., 38(8):338-343.
8 ref.

287. Menon, K.N. 1972

(Superintendent of Fisheries, Port Okha, Gujarat State).

Culture of predatory fishes. Seafd export J. 4(1):113-115.

Gives an account of the possibilities of culture of murrels and catfishes and the related problems of cultural techniques etc. in India.

288. Mitra, E. and A.C. Banerjee 1971

(Central Inland Fisheries Research Station, Calcutta).

Eradication of Eichhornia plants from fish ponds by bottom soil treatments. Proc. nat. Acad. Sci., India (B), 41(3):231-236.

289. Mittal, A.K.¹ and J.S. Dutta Munshi² 1971

(¹Department of Zoology, Banaras Hindu University, Varanasi-5 (U.P.), India. ²P.G. Department of Zoology, Bhagalpur University, Bhagalpur-7, Bihar, India).

A comparative study of the structure of the skin of certain air-breathing freshwater teleosts. J. Zool., Lond, 163 :515-532.

Comparative study of the skin of H. fossilis, A. cuchia and M. pancalus based on the structure and histo-chemistry has been given. 69 ref.

290. Murty, T.S.N. and K.V. Rama Rao 1970

(Zoological Survey of India, 3, Kandaswamy Gramini Street, Madras-4, India).

Tapping the animal resources -3. The edible frogs Seafd export J. 4(7):39-42.

Distribution, food and feeding habit, mode of life etc. of two species e.g. R. hexadactyla and R. tigrina of frogs have been described. Processing of froglegs has also been discussed.

291. Nagabhushanam, R. and N. Vasantha 1971
 (Zoology Department, Marathwada University,
 Aurangabad).
 Isolation of hormones from the Central nervous
 system of the prawn, Caridina weberi using
 fractionation technique. J. Zool. Soc. India,
23(1):71-77. 7 ref.

292. Naidu, R.M. and V.C. George 1972
 (Central Institute of Fisheries Technology
 Substation Burla, Orissa State).
 Fishing experiments with frame nets in Hirakud
 reservoir, Orissa. Fish Technol, 9(1):31-33.

Results of experiments conducted with frame
 nets of different mesh sizes in Hirakud reservoir, have been
 discussed. 2 ref.

293. Nair, C.K.G 1970
 (Zoology Department, Christ College,
 Irinjalakuda).
 Studies on the rotifer population of two ponds
 at Pilani, Rajasthan. J. zool. Soc. India,
22(1 & 2):21-34.

Seasonal variation, distribution and species
 composition of planktonic rotifers in two tanks at Pilani
 have been discussed. Hydrological factors like pH and
 temperature influencing the plankton population have also
 been dealt with. 10 ref.

294. Narasimhamurti, C.C. and Kalavati, C. 1972
 (Department of Zoology, Andhra University, Waltair).
 Two new species of microsporidian parasites from
 a marine fish Saurida tumbil. Proc. Indian Acad.
Sci. (B), 76(4):165-170

Two new species of microsporidian parasites
 parasitising visceral muscles of S. tumbil have been
 described. The authors are of opinion that the parasites
 are apparently harmless to the host. 2 ref.

295. Natarajan, A.V. 1972
 (Central Inland Fisheries Research Institute, Barrackpore).
 Reservoir fisheries of India, their development and management. Souvenir, Silver Jubilee of CIFRI, Barrackpore : 138-143.
296. Pakrasi, B.B. 1972
 (Central Inland Fisheries Research Institute, Barrackpore).
 Potential of brackishwater fish farming in West Bengal and Kerala. Ibid, :99-103.
297. Pal, R.N. 1972
 (Central Inland Fisheries Research Institute, Barrackpore).
 Diseases of fishes and their control. Ibid, :90-94.
298. Pande, B.P. and R.P. Shukla 1972
 (Division of Microbiology, Central Drug Research Institute, Lucknow-1 (U.P.) India).
 An accanthostomid metacercarial infection in some of our freshwater fishes. Curr. Sci., 41(16): 607-609.
- Describes infection of metacercaria of an accanthostomid in the freshwater fishes -- A. mola, E. danricus, C. punctatus, O. cotio, N. nandus, C. labuca, X. canila etc., collected from a pond near Chinhath situated near Lucknow. 8 ref.
299. _____ 1972
 (Division of Microbiology, Central Drug Research Institute, Lucknow-1 (U.P.), India).
 On the juvenile and adult of an ectoparasitic fluke in some of our freshwater fishes. Ibid, 41(18):682-683.

Describes the presence of an ectoparasite - T. soparkari from some freshwater fishes. The report also includes the description of adult Transversotrema from North India. 16 ref.

300. Pandey, K.C. 1971
(Zoology Department, Lucknow University, Lucknow).
Studies on trematode parasites of fishes of
Lucknow (India)-1. Proc. nat. Acad. Sci. India,
41(B), III :311-314.

A new trematode parasite from Puntius ticto has been reported. Two other trematode parasites from C. punctatus and H. fossilis have also been dealt with. 8 ref.

301. Pandit, A.R. and N.G. Magar 1972
(Department of Biochemistry, Institute of Science, Bombay-32).
Chemical composition of Sepia orientalis and Loligo vulgaris. Fish. Technol. 9(2): 122-125.

From the results of experiments the authors have concluded that both the species of cuttle fish could be considered as high protein and low fat content food. These species were also reported to be good sources of Calcium, phosphorus, iron and vitamin B. 24 ref.

302. Parameswaran, S., C. Selvaraj and S. Radhakrishnan 1971
(¹Central Inland Fisheries Research Unit, Bhadra Reservoir Project, P.O., Mysore State. ²Central Inland Fisheries Research Unit, Bhavanisagar, Tamil Nadu. ³Central Inland Fisheries Research Unit, 19-A, Patel Road, Madras-11).
Notes on the life history and biology of the catfish Ompok pabda (Hamilton). J. zool. Soc. India, 23(2):137-150.

303. Parameswaran, S.¹, S. Radhakrishnan² and C. Selvaraj³ 1971
 (¹Central Inland Fisheries Research Unit, Bhadra Reservoir Project, Mysore State. ²Central Inland Fisheries Research Unit, 19-A, Patel Road, Madras-11. ³Central Inland Fisheries Research Unit, Bhavanisagar, Tamil Nadu).
 Notes on the life-history and biology of the catfish, Mystus tengara (Hamilton). Ibid, 23(2):151-162.

Developmental stages, sex-differentiation, fecundity etc. of M. tengra collected from ponds and flooded paddy fields of Assam have been dealt with. 18 ref.

304. Parulekar, A and D.V. Bal 1971
 (Department of Zoology Institute of Science, Bombay).
 Observation of the food and feeding habits of Bregmaceros maclellandi Thompson. Ibid, 23(2):81-88.
 4 ref.

305. Patil, H.S., G.B. Dodakundi and S.S. Rodgi 1972
 (Department of Zoology, Karnatak University, Dharwar-3).
 Ecology of sewage pond stratification. Curr. Sci., 41(16): 615p. 5 ref.

Gives an account of stratification of DO, BOD, pH, nitrate etc. besides an account of algae, protozoa and bacteria in a sewage stabilization pond located at the Karnatak University Campus.

306. Philipose, M.T. 1972
 (Central Inland Fisheries Research Institute, Barrackpore).
 Aquatic weed control in India. Souvenir Silver Jubilee of CIFRI, Barrackpore :49-55.

307. Pillai, R.S. and Yazdani, G.M. 1971
 (Eastern Regional Station, Zoological Survey of India, Shillong).
 First record of the catfish, Olyra horae (Prashad and Mikerji) Siluriformes : Olyridae from India with a brief redescription of the species. J. zool. Soc. India, 23(2):135-136. 5 ref.

308. Pillay, T.V.R. 1972
 (Department of Fisheries, Food and Agriculture Organisation of the United Nations).
 Ecological approach to the management of fishery resources. Souvenir, Silver Jubilee of CIFRI, Barrackpore, : 13-18.

309. Prabhu, P.V. 1972
 (Central Institute of Fisheries Technology, Ernakulam, Cochin-11).
 On sun-drying of bombay duck. Fish Technol., 2(1):64-67.

Results of sundrying by different methods have been given. The author is of opinion that the quality of raw material is reflected on the dried products. 2 ref.

310. Prasad, N.K. 1972
 (Technical Officer, Export Inspection Agency Cochin).
 Marine fisheries in India. Seaf export J., 4(1):165-170.

Fisheries resources of the sea, deep sea fishing, fish processing, quality control etc. have been dealt with. The effects of pollution on marine fisheries from the effluents of different industries have also been described.

311. Prasad, R.D. 1970
 (Central Inland Fisheries Research Institute,
 Madras).
 Preliminary observations on the food and feeding
 habits of the grey mullet- Mugil macrolepis
 (Smith) Agues from Pulicat lake Madras. J. zool.
Soc. India. 22(1 & 2):63-68. 9 ref.

312. Premkumar, V.K. and A. Daniel 1971
 (Zoological Survey of India, Calcutta).
 Crustaceans of economic value of Great Nicobar
 Island 2. Decapoda: Brachyura: Portunidae.
J. zool. Soc. India, 23(2):109-112. 11 ref.

313. Qasim, S.Z. 1972
 (Director, Central Marine Fisheries Research
 Institute, Cochin-11).
 Are there enough shrimps in the sea?
Seafd export J. 4(1):5-17.

The present status of shrimp fishery, shrimp
 catch statistics and causes of depletion in the fishery
 and its effects on sea food industry have been discussed
 in detail. The author has suggested some measures for
 improvement of shrimp fishery and the sea food industry.

314. Raghu Prasad, R. 1972
 (Indian Council of Agricultural Research).
 Fisheries development in India. Ibid, 4(1):19-24.

Gives an account of development of Inland and
 Marine Fisheries in India, its present status and future
 prospects.

315. Raghu Prasad, R. and P.R.S. Tampi 1972
 (Indian Council of Agricultural Research,
 New Delhi).
 Fisheries research in India present and future.
Indian Eng, 22(5):62-64.

Major advances and significant achievements, in the field of fisheries research in India, have been discussed.

316. Raizada, A.K. 1971

(Department of Zoology, University of Saugar, Saugar, Madhya Pradesh).

The reproductive system and the reproductive cycle of the female Rasbora daniconius (Ham.). Proc. nat. Acad. Sci. India, 41(B), III:293-310.

Morphology and histology of the ovary at different stages of maturity, seasonal changes in the volume of ovaries in the fish has been discussed. 44 ref.

317. Rajagopal, K.V. and B.H. Manohara Ram 1972

(Fisheries College, University of Agricultural Sciences, Mangalore-1).

A note on the occurrence of Hilsa ilisha (Hamilton) in the Netravati estuary. Curr. Sci., 41(20):752p. 4 ref.

318. Ramachandran, V. 1972

(Central Inland Fisheries Research Institute, Barrackpore).

Short and long distance transport of live fish for stocking. Souvenir, Silver Jubilee of CIFRI, Barrackpore : 45-48.

319. Ramachandran, V.S. 1972

(Central Institute of Fisheries Operatives, Cochin).

Mechanisation of fishing Crafts in Gujarat. Seafd export J. 4(8):19-22.

320. Rama Rao, K.V. 1972

(Marine Biological Division, Zoological Survey of India, 3, Kandaswamy Gramini Street, Mylapore, Madras-4).

Zebra fishes (Pteroiinae : Scorpaenidae) value as aquarium fishes. Seafd export J. 4(1):25-30.

The habits and distribution of eight species of the zebra fish together with a key to their identification have been given. The author also gives an account of behaviour of P. volitans in captivity.

321. Rama Sarma, D.V. and P.N. Ganapati 1972
(Department of Zoology, Andhra University, Waltair).
On the appearance of a streaky discoloration in the surface water of Kakinada bay. Curr. Sci., 41(12): 466p.

Existence of dark brown wavy "streak" in the Kakinada bay, caused by a bloom of diatoms has been reported. The authors feel that the complex pattern of surface water movements might be responsible for the concentration of the diatoms. 9 ref.

322. Ranadhir, M. 1972
(Central Inland Fisheries Research Institute, Barrackpore).
Economics of fish culture in West Bengal and Orissa. Souvenir, Silver Jubilee of CIFRI, Barrackpore:95-98

323. Rangaswamy, C.P. 1972
(Pulicat Lake Unit, Central Inland Fisheries Research Institute, 19A, Patel Road, Madras-11).
Observations on the growth of Mugil cephalus Linnaeus in the Ennur and Adyar estuaries. Curr. Sci. 41(15):567-569.

Deals with the growth rate of M. cephalus in Ennur and Adyar estuaries. These estuaries are separated from the source of water supply during the period January-March every year. 10 ref.

324. Rao, P.S. 1972
 (Associate Professor of Fisheries Resources & economics, Fisheries College, Mangalore).
 Fishery economy of Mysore state. Seafd export J. 4(7):31-37.

Deals with the marine and inland fishery resources, fishery co-operatives and different aspects of fishery economics in Mysore state.

325. Rathod, K.T. 1972
 (Minister of State for Fisheries, Government of Mysore).
 Development of fisheries in Mysore state. Ibid, 4(8):7-10.

326. Ray, P. 1972
 (Central Inland Fisheries Research Institute, Barrackpore).
 Pollution of Indian rivers and estuaries by industrial effluents and domestic wastes.
Souvenir, Silver Jubilee of CIFRI, Barrackpore:
 148-152.

327. Sachidanandam, A 1972
 Are our mechanised fishing boats viable ?
Seafd export J. 4(1):57-70.

328. Saidapur, S.K. and V.B. Nadkarni 1972
 (Department of Zoology, Karnatak University, Dharwar-3, India).
 $\Delta^5-3\beta$ - Hydroxysteroid dehydrogenase, Glucose-6-phosphate dehydrogenase and DPNH- diaphorase activities in the post ovulatory follicles of Rana cyanophlyctis (Schneider). Curr. Sci., 41(14):531-532. 7 ref.

329. Saigal, B.N. 1972
(Central Inland Fisheries Research Institute, Barrackpore).
Domestic sewage in aid of fish culture. Souvenir,
Silver Jubilee of CIFRI, Barrackpore : 79-84.
330. Samuel, C.T. 1972
(Oceanographic Laboratory, Cochin-16).
A suggestion to practice shrimp farming to
augment the raw material supply for the seafood
industry. Seafd export J. 4(1):75-78.
331. Saralaya, K.V.¹ and P. Parashuram² 1972
(¹University of Agricultural Sciences, Fisheries
College, Mangalore. ²Mysore State Fisheries
Development Corporation Ltd. Kulai).
Some aspects of plant planning layout and
construction for seafoods canning. Ibid, 4(8):23-35.
7 ref.
332. Satyanarayana, A.V.V. and G. Narayanappa 1972
(Central Institute of Fisheries Technology,
Substation, Kakinada-2).
A review of experimental trawling from small and
medium sized mechanized vessels off Kakinada.
Fish. Technol., 9(2):97-103.
- The results of experimental trawling by two
mechanised vessels have been reviewed. Trend of catch and
catch composition have also been presented. 19 ref.
333. Satyanarayana, A.V.V., G. Narayanappa and D.A. Narasimha Raju 1972
(Central Institute of Fisheries Technology,
Substation, Kakinada-2).
On the comparative fishing experiments with a
four-seam and a two-seam trawls on the east coast.
Ibid, 9(2):169-179.

Describes in detail the relative utility of a newly designed four-seam type of net over a conventional two seam net depending upon the results of fishing experiments in both inshore & off-shore zones along the east-coast of India. The authors have reported that the new type of net gave a higher catch rate than the conventional type. 21 ref.

334. Satyanarayana, A.V.V. and G.K. Kuriyan 1972
(Central Institute of Fisheries Technology, Cochin-5).
Investigations on wooden floating materials.
The loss of buoyancy under continuous immersion in water and the rate of its redemption by drying.
Ibid, 9(2):139-152. 2 ref.
335. Saxena, B.S. 1972
(Professor of Fisheries Economics, Central Institute of Fisheries Education, Bombay-58. A.S.).
Net economic yield and the problem of over-fishing with particular reference to shrimp fishery of Kerala coast. Seafd export J. 4(1):43-50. 18 ref.
336. Saxena, R.K. 1971
(Central Inland Fisheries Research Institute, Barrackpore).
Report on training in principles of gear fabrication at C.I.F.T. Substation, Burla.
Misc. Contr. Cent. Inl. Fish. Res. Inst. Barrackpore
(7) : 12 p (Mimeo.)
337. Sehgal, K.L. 1972
(Central Inland Fisheries Research Institute, Barrackpore).
Cold water fisheries and their development in India for sport and profit. Souvenir, Silver Jubilee of CIFRI, Barrackpore:125-131.

338. Sekharan, K.V. 1972
 (University of Calicut)
 Why a professional degree course in fisheries.
Seafd export J. 4(1):79-83.

Author's view with regards to fishery science education has been expressed in the article. The present status and future prospects of fisheries education have been discussed in detail. 3 ref.

339. Sen, D.P. and C.S. Bhandary 1972
 (CFTRI Fish Technology Experiment Station, Mangalore).
 Utilization of miscellaneous fish in India.
Ibid, 4(1):161-163.

Catch statistics of different fishes, grouped as "miscellaneous fish", in the year 1968 has been given. Different process of utilization of these fishes have been dealt with in detail.

340. Shetty, H.P.C. 1972
 (Central Inland Fisheries Research Institute) Barrackpore).
 Prospecting for carp spawn in Indian rivers.
Souvenir, Silver Jubilee of CIFRI, Barrackpore :
 118-124.

341. Shirgur, G.A. and H.G. Kewalramani 1972
 (Taraporevala Marine Biological Research Station, Bombay-2).
 Observations on comparative propensities for carp fry destruction by adults and last instar preimaginal stages of predatory aquatic insects.
Proc. Indian Acad. Sci. (B), 76(3):85-89.

Results of studies on comparative propensities for carp fry destruction by preimaginals and imaginals of both Heteroptera and Coleoptera and Odonetan nymphs, under laboratory conditions, have been reported. 8 ref.

342. Shrivastava Prakash 1971

(Small Reservoirs' Unit, Central Inland Fisheries Research Institute, Rewa, M.P.).

Fish flesh -- a nutritious food for man.

Farmer and Parliament, 4(10):7-8 contd on page 27.

A generalised article dealing with the nutritional value of fish-flesh. Various constituents of fish flesh - their value as diet, source etc. have been discussed.

343. Singh, S.B. 1972

(Central Inland Fisheries Research Institute, Barrackpore).

Role of exotic fish in pisciculture in India.

Souvenir, Silver Jubilee of CIFRI, Barrackpore:30-33.

344. Singh, Tajendra and S.S. Khanna 1971

(Department of Zoology, D.S.B. Government College, Naini Tal).

On the blood glucose level in some freshwater teleosts.

Proc. nat. Acad. Sci. India, 41(B), III, : 207-209.

13 ref.

345. Sinha, V.R.P. 1972

(Central Inland Fisheries Research Institute, Barrackpore).

Isolation of fish gonadotropin. Souvenir Silver Jubilee of CIFRI, Barrackpore : 39-44.

Describes the technique for isolation of different fractions of fish gonadotropin, functions of the different fractions, effect of gonadotropin on osmoregulation etc. Chemical nature of the active fraction is also given.

346. Sreekrishna, Y, J. Sitarama Rao and Percy Dawson 1972

(Central Institute of Fisheries Technology Substation, Kakinada, A.P.).

Mesh selectivity for spotted seer, Scomberomorus guttatus
(Bloch & Schneider). Fish. Technol. 9(2):133-138. 15 ref.

347. Srivastava, C.B., Ravish Chandra and S.K. Wishard 1966
(Central Inland Fisheries Research Substation,
Allahabad).
On a collection of fish from river Ken in Banda
District. Rec. zool. Surv. India , 64(1-4):131-134.
348. Srivastava, R.K. 1972
(School of Studies in Zoology, Vikram University,
Ujjain).
Jaw musculature in Labeo rohita . J. zool Soc. India,
22(1 & 2):157-164. 19 ref.
349. Subramonia Pillai, N. , R.S. Monohardoss and P. Sulochanan 1972
(Central Institute of Fisheries Technology, Craft
and Gear Wing, Cochin-5).
Standardisation of specifications for different
trolling lures. Fish. Technol., 9(1):68-75. 4 ref.
350. Subrahmanyam, M. 1972
(Central Inland Fisheries Research Institute,
Barrackpore).
Culture of brackish water prawns in India.
Souvenir, Silver Jubilee of CIFRI, Barrackpore: 104-109.
351. Sugunan, V.V. 1972
(Department of Marine Sciences, Cochin).
Discovery of the sea. Seafd export J. 4(7):27-30.
352. Suryanarayanan, H. and K.M. Alexander 1972
(Department of Zoology, University of Kerala,
Kariyavattom, P.O. Trivandrum, India).
Biochemical investigation on edible molluscs of Kerala
1. A study on the nutritional value of some bivalves.
Fish. Technol., 9(1):42-47. 17 ref.

353. Tripathi, Y.R. 1972
(Central Inland Fisheries Research Institute,
Barrackpore).
Reverine fisheries in India. Souvenir, Silver Jubilee
of CIFRI, Barrackpore :110-117.

354. Tyagi, A.P. 1971
(Zoology Department, D.A.V. College, Muzaffarnagar).
Physiology of digestion in Mystus vittatus (Bloch)
J. zool. Soc. India, 23(1):33-37.

Deals with the qualitative estimation of digestive
enrymes, pH of the different parts of the digestive tract in
relation to food and feeding habit of the fish. 13 ref.

- ✓ 355. Udupa, K.S. and G.K. Kulkarni 1972
(University of Agricultural Sciences, Fisheries
College, Mangalore, Mysore State).
Sequential analysis for testing quality standard
of fish ham and sausage. Fish Technol., 9(1):5-7.
4 ref.

356. Unnikrishnan Nair, N., A.G. Gopalakrishna Pillai and R.
Balasubramanyam 1972
(Central Institute of Fisheries Technology, Carft
& Gear Division, Cochin-11).
Studies on arsenical creosote as a wood preservative
for marine structures Part I. Incorporation of
arsenic in creosote at various temperatures.
Ibid, 9(1):76-80. 21 ref.

357. _____ 1971
(Central Institute of Fisheries Technology, Craft
and Gear Division, Cochin-11).
Studies on Arsenical creosote as a wood preservative
for marine structures Part II. Observations on
leaching, corrosion and resistance to borer attack.
Ibid, 9(2):126-132.

Effectiveness of Arsenical creosote with reference to its leaching, corrosion and antiborer properties has been discussed. Creosote putrified with Arsenic trioxide was found to resist borer damage on wooden panels for a period of 5 months in the Port of Cochin as has been reported by the authors.
10 ref.

358. Vartak, H.G 1972

(Minister for Revenue, Food, Civil Supplies, Khar lands and Fisheries, Government of Maharashtra).
More fish from deep sea. Seafd export J. 4(1):71-73

359. Vasantha Shenoy, A and M. Arul James 1972

(Central Institute of Fisheries Technology, Ernakulam, Cochin-11).

Freezing characteristics of tropical fishes II Tilapia (Tilapia mosambica). Fish Technol. 9(1):34-41.

Storage property of frozen Tilapia from freshwater and brackishwater resources has been discussed. 8 ref.

360. Velu, M. 1972

(Central Institute of Fisheries Technology, Cochin-5).
Design consideration for trawl winches. Ibid, 9(2): 159-168. 7 ref.

361. Visweswara Rao, V. 1971

(Zoological Survey of India, Southern Regional Station, Madras-4).

New gobioids from Godavari estuary. J. zool. Soc. India, 23(1):39-54. 6 ref.

362. _____ 1972

(Southern Regional Station, Zoological Survey of India, Madras).

A new fish of the family Gobiidae from Godavari estuary. J. Bombay nat. Hist. Soc., 69(1):130-133.

Describes a new species of the genus Waitea from Godavari estuary. A comparative account of W. buehanani and W. duque is also given. 7 ref.

263. Yazdani, G.M. 1971

(Eastern Regional Station, Zoological Survey of India, Shillong).

Taxonomic position of Indian murrells, Channa marulius Ham. and Channa striatus Bloch., with certain remarks on the order Channiformes. J. zool. Soc. India, 23(1):25-27.

The characters which distinguish C. punctata and C. orientalis from C. marulius and C. striatus are given in a comparative form. The author is of opinion that two groups, one containing punctata and the other marulius-type species, are recognised. 4 ref.

364. _____ 1972

(Eastern Regional Station, Zoological Survey of India, Shillong-3).

A new genus and species of fish from India.

J. Bombay nat. Hist. Soc., 69(1):134-135.

A new genus of fish has been described. The fish has been named as Pillaia indica by the author. 1 ref.

365. Yermal, J.R., T.S.M. Desai, T.C. Chandrashekar and Gopalakrishna Shenoy 1972

(Fisheries College, Mangalore).

Some microbiological problems associated with fish sausage manufacture. Seafd export J., 4(1):33-39.

Preparation of fish sausage, its different constituents and spoilage of the sausage have been dealt with. 4 ref.

II. CUMULATIVE AUTHOR INDEX VOL. 11 NOS. 1-4
 (Reference is given to the serial number of the entry)

Abraham Saramma	..	(4) : 210	Bhullar, K.S.	..	(4) : 222
Agrawal, H.P.	..	(4) : 211	Bhuyan, B.R.	..	(2) : 75
Alexander, K.M.	..	(4) : 352	Biswas, K.P.	..	(4) : 223
Alikunhi, K.H.	..	(4) : 212	Chakraborty, D.P.	..	(1) : 18
Annigeri, G.G.	..	(2) : 41			(2) : 76
	..	(3) : 121			(3) : 130
Anon	..	(1) : 1	Chakraborty, R.D...	(1) : 5	
	..	(2) : 42, 43 & 44		(3) : 125	
		(3) : 122		(4) : 224	
		(4) : 213-215	Chakraborty, R.K...	(1) : 6	
Antony Raja, B.T.	..	(2) : 45	Chanda, S.K.	..	(1) : 40
		(3) : 123	Chandra, A.K.	..	(4) : 228
Aravindan, C.M.	..	(3) : 124	Chandra Mohan, P...	(2) : 53	
Babu, N	..	(2) : 75	Chandra, R.	..	(3) : 200 & 201
Babu Rao, M	..	(4) : 216		(4) : 347	
Bagchi, M.M.	..	(1) : 4	Chandrasekhar, K.	..	(4) : 225
Bal, D.V.	..	(4) : 304	Chandrasekhar, T.C.	(4) : 365	
Balakrishnan, V.	..	(2) : 46	Chandrasekharan Nair,		
Balasubramanyan, R...	(4) : 217, 356 & 357		K.K.	(2) : 54	
Balasubrahmanyam, S.P.	(4) : 218		Chatterjee, D.K.	..	(1) : 5 & 34
Banerjea, S.M.	..	(2) : 47	Chaudhuri, H.	..	(3) : 131
		(4) : 219		(4) : 226	
Banerjee, A.C.	..	(4) : 288	Chauhan, B.S.	..	(3) : 132
Banerjee, M.K.	..	(3) : 125		(4) : 236 & 237	
Banerjee, R.K.	..	(3) : 126	Chennubhotla, K.V.S.	(3) : 133	
Barua, A.B.	..	(3) : 127	Cherian, C.	..	(4) : 227
Basheeruddin, S	..	(2) : 120	Choodamani, N.V.	..	(3) : 134
Basu, S.L.	..	(1) : 16	Choudhuri, N.K.	..	(3) : 135
		(2) : 71	Choudhuri, P.C.	..	(3) : 136
Bennet, P. Sam	..	(2) : 48	Choudhury, A.	..	(4) : 228
Bensam, P.	..	(2) : 49	Daniel, A.	..	(4) : 312
Bhandary, C.S.	..	(4) : 339	Das, B.C.	..	(2) : 55
Bhanot, K.K.	..	(2) : 50	Das, N.K.	..	(3) : 137
Bhargava, H.N.	..	(1) : 2	Das, P.	..	(3) : 202
Bhatia, H.L.	..	(1) : 3	Das, S.K.	..	(3) : 201
Bhatt, V.S.	..	(2) : 51 & 52	Das, V.K.	..	(1) : 37
		(3) : 128	Dass, C.R.	..	(1) : 7
Bhattacharya, A.N	..	(3) : 194	David, A.	..	(2) : 56
Bhattathiri, P.M.A	..	(3) : 186		(3) : 138	
Bhimachar, B.S.	..	(3) : 129		(4) : 229	
Bhowmic, R.M.	..	(1) : 4	Davis, T.A.	..	(3) : 139
		(4) : 221			

Dawson, P. ..	(4) : 346	Gokhale, S.V. ..	(3) : 150
Dayanandan, M.G. ..	(2) : 61		(4) : 242
De, S. ..	(3) : 140	Gopal Dutt, N.H....	(3) : 171
Dehadrai, P.V. ..	(4) : 230	Gopala Menon, P....	(4) : 243
Desai, B.N. ..	(3) : 141	Gopalakrishna Iyar, .	
Desai, T.S.M. ..	(4) : 365	T.S. (4) : 244	
Desai, V.R. ..	(3) : 200	Gopalakrishna Pillai,	
Desai, V.R. ..	(1) : 8	A.G. (4) : 245, 356 & 357	
	(4) : 231	Gopalakrishna	
Devadoss, P. ..	(3) : 142	Shenoy..	(4) : 365
Devaraj, K.L. ..	(3) : 143	Gopalakrishnan, V..	(1) : 12
Devaraj, M. ..	(2) : 57		(2) : 62
Dharmaraja, S.K. ..	(3) : 146		(3) : 151 - 154
Dhawan, R.N. ..	(3) : 144		(4) : 246 & 247
Dhulkhed, M.H. ..	(2) : 58 & 97	Gopalakrishnan Nair,	
Dodakundi, G.B....	(4) : 305	R....	(4) : 277
*Dorairaj, K. ..	(2) : 109	Gopalakrishnayya, Ch.	(4) : 248
Dubey, G.P. ..	(3) : 145	Gopinathan, C.P. .	(4) : 249
Dutt, S. ..	(2) : 59	Gopinathan, V.G. .	(3) : 144
	(4) : 233 & 234	Gore, P.S. ..	(4) : 250
Dutta, P. ..	(4) : 235	Goswami, S.C. ..	(2) : 113
Dutta Munshi, J.S. ..	(4) : 289	Govind, B.V. ..	(2) : 56
Dwivedi, M.P. ..	(4) : 236 & 237	Govindan, T.K. ..	(3) : 155
Edward, Rivlin..	(4) : 238		(4) : 253 & 254
Farber, P. I. ..	(4) : 240	Gowri, V. ..	(4) : 255
Ganapati, P.N....	(2) : 105 & 119	Gupta, S.D. ..	(2) : 116
	(4) : 321		(3) : 200 & 202
Gaonkar, S.G. ..	(4) : 266	Gurumani, N. ..	(4) : 251
Georage, A.I. ..	(2) : 60	Hafeezullah, M. ..	(1) : 13
George, K.C. ..	(1) : 9	Hahn, J.H. ..	(2) : 63
	(2) : 61	Hasnain, A. ..	(4) : 272
George, M.J. ..	(2) : 80 & 87	Hughes, G.M. ..	(1) : 14 & 36
George, N.A. ..	(4) : 283	Iyer, K.N. ..	(4) : 256
George, V.C. ..	(4) : 292	James, M.A. ..	(4) : 256 & 359
Ghosh Amitabha..	(1) : 10	Jacob, P.G. ..	(3) : 156 & 182
Ghosh Anjali ..	(4) : 24	James, P.S.B.R. ..	(2) : 64
Ghosh Apurba ..	(1) : 11 & 12	Jana, B.B. ..	(4) : 257
Ghosh, A.N. ..	(2) : 116	Jayaram, K.C. ..	(4) : 258 & 259
Ghosh, K.K. ..	(2) : 116	Jhingran, A.G. ..	(2) : 115
	(3) : 173, 199, 200		(3) : 157, 200 & 201
	201 & 202	Jhingran, V.G. ..	(3) : 154, 158, 159
Ghosh, N. ..	(3) : 148		160 & 161
Ghosh, S.N. ..	(3) : 149		(4) : 260, 261, 262
Gnanamuthu, J.C. ..	(2) : 120		& 263
Godbole, A.G. ..	(2) : 116	John, T.A. ..	(2) : 65
	(3) : 200 & 201	Joseph, K.M. ..	(4) : 264 & 265
*Durve, V.S. ..	(3) : 146		

Jyoti, M.K.	.. (3) : 162	Kulkarni, G.K.	.. (4) : 355
Kachroo, P.	.. (3) : 165	Kumta, U.S.	.. (4) : 266, 267 & 278
Kagwade, P.V.	.. (2) : 66	Kunhikrishnan, N.P.	(3) : 189
	(3) : 163 & 164	Kurian, C.V.	.. (2) : 60
Kagwade, V.N.	.. (2) : 67, 68 & 69	Kuriyan, G.K.	.. (4) : 334
Kaimal, M.N.N.	.. (1) : 39	Kuthalingam, M.D.K.	(2) : 97
Kalavati, C.	.. (4) : 294	Laha, G.C.	.. (1) : 17
Kamal, M.Y.	;; (2) : 202 & 116, (3) : 202.	Lakshmanan, M.A.V.	(1) : 18
Kamat, S.V.	.. (4) : 266, 267 & 278		(2) : 75 & 76
Kandoran, M.K.	.. (4) : 244		(4) : 279
Kant, S.	.. (3) : 165	Lakshminarayana, K.V.	(1) : 19
Karamchandani, S.J.	.. (4) : 268	Luther, G.	.. (2) : 77
Karunakaran Nair, P.	.. (2) : 61	Magar, N.G.	.. (4) : 301
Kasinathan, S.	.. (1) : 16	Mahajan, C.L.	.. (4) : 280
	(2) : 71	Mareshwari, S.C.	.. (4) : 281
Kesavan Nair, A.K.	(3) : 174	Malhotra, J.C.	.. (2) : 116
Kewalramani, H.G.	(2) : 117		(3) : 173 & 199
	(4) : 341		(4) : 282
Kewalramani, K.M.	(3) : 166 & 167	Malhotra, Y.R.	.. (2) : 78
	(4) : 269		(3) : 162
Khan, A.A.	.. (3) : 168	Manaharam, B.H.	.. (4) : 317
Khan, H.A.	.. (1) : 15	Mathai, J.T.	.. (4) : 283
	(2) : 116	Mathew, K.J.	.. (3) : 174
	(4) : 270	Mathew, P.M.	.. (3) : 202
Khan, J.	.. (3) : 169	Mathur, B.S.	.. (4) : 284
Khan, R.R.	.. (3) : 170	Meenakshisundaram, P.T.	(2) : 120
	(4) : 271	Menon, A.G.K.	.. (1) : 20
Khan, S.H.	.. (4) : 272		(4) : 285 & 236
Khanna, S.S.	.. (4) : 344	Menon, M. Devidas	.. (1) : 21
Khoche, B.Y.	.. (3) : 132	Menon, N.K.	.. (4) : 287
Khosa, D.	.. (4) : 225	Mittal, A.K.	.. (4) : 289
Kowtal, G.V.	.. (2) : 72	Mitra Eva	.. (1) : 31
Krasnogor, G.	.. (4) : 273		(4) : 288
Krishna Iyar, H.	(4) : 274	Mitra, G.N.	.. (3) : 175
Krishnamurthy, C.G.	(3) : 171	Mitra, P.M.	.. (1) : 17
Krishnamurthy, K.	(2) : 73	Mogelberg, B.	.. (2) : 79
Krishnamurthy, K.N.	(2) : 74	Mohamed, K.H.	.. (2) : 60, 80 & 81
Krishna Pillai, N.	(3) : 181	Mohan, R.S. Lal	.. (3) : 176
Krishna Raj, M.	.. (4) : 275	Moitra, S.K.	.. (1) : 22 & 23
Krishna Rao, K.	.. (4) : 276 & 277	Mojumder, P.	.. (3) : 177
Kulkarni C.V.	.. (3) : 172		

Monohardoss, R.S.	.. (4) : 349
Moore, N.W.	.. (2) : 82
Moorjani, M.N.	.. (2) : 53
	(4) : 255
Mukhopadhyay, S.	.. (1) : 15 & 23
Mukundan, C.	.. (2) : 84
Mukundan, M.	.. (2) : 85
Murty, A.V.S.	.. (3) : 178
Murty, D.S.	.. (1) : 5 & 18
	(2) : 76
Murty, T.S.	.. (3) : 185
Murty, T.S.N.	.. (4) : 290
Muthu, M.S.	.. (2) : 86 & 87
	(3) : 179 & 195
Nadkarni, V.B.	.. (4) : 328
Nagabhushanam, R.	.. (3) : 180
	(4) : 29
Naidu, R.M.	.. (4) : 292
Nair, C.K.G.	.. (4) : 293
Namboothiri, P.V.S.	.. (3) : 144
Nandy, A.C.	.. (1) : 31
	(3) : 130
Nangpal, T.D.	.. (2) : 116
Narasimhamurti, C.C.	.. (4) : 294
Narasimhan,	.. (1) : 24
Narasimha Raju, D.A.	.. (4) : 333
Narayanappa, G.	.. (4) : 332 & 333
Narayana Pillai, V.	.. (2) : 93
Narayana Rao, B.	.. (3) : 195
Narayana Rao, K.V.	.. (2) : 46
Natarajan, A.V.	.. (4) : 295
Nath, C.N.	.. (3) : 181
Nath, D.	.. (2) : 88
Padmanabhan, K.G.	.. (3) : 124
Pahwa, D.V.	.. (2) : 116
	(3) : 200
Pakrasi, B.B.	.. (4) : 296
Pal, R.N.	.. (1) : 17
	(4) : 297
Panday, M.R.	.. (3) : 145
Pande, B.P.	.. (4) : 298 & 299
Pandey, K.C.	.. (4) : 300
Pandit, A.R.	.. (4) : 301

Parameswaran, P.P.	.. (2) : 89 & 90
Parameswaran, S.	.. (1) : 25
	(4) : 302 & 303
Parashuram, P.	.. (4) : 331
Parulekar, A.	.. (4) : 304
Pathak, S.C.	.. (3) : 200 & 201
Patil, H.S.	.. (4) : 305
Patnaik, S.	.. (1) : 26
	(2) : 91 & 92
Patro, J.C.	.. (3) : 185
Perumal, M.C.	.. (2) : 93
Philipose, M.T.	.. (1) : 18
	(3) : 130
	(4) : 306
Pillai, R.S.	.. (4) : 307
Pillai, V.K.	.. (2) : 94
	(3) : 182
Pillai, V.N.	.. (2) : 95
	(3) : 183
Pillay, T.V.R.	.. (4) : 308
Poddor, B.N.	.. (3) : 184
Poddar, D.	.. (3) : 196
Prabhakara Rao, A.V.	.. (2) : 96
Prabhu, M.S.	.. (2) : 97
Prabhu, P.V.	.. (4) : 309
Prakash, R.	.. (2) : 98
Prasad, D.	.. (3) : 200
Prasad, N.K.	.. (4) : 310
Prasad, P.S.	.. (3) : 200
Prasadam, R.D.	.. (1) : 27
	(4) : 311
Premkumar, V.K.	.. (4) : 312
Purushothaman, A.	.. (2) : 73=
Qusim, S.Z.	.. (3) : 186
	(4) : 313
Qureshi, N.A.	.. (2) : 99
Qureshi, T.A.	.. (2) : 99
Radhakrishnan, S.	.. (1) : 25 & 34
	(2) : 75
	(4) : 402 & 403
Raghu Prasad, R.	.. (1) : 28
	(4) : 314 & 315
Raizada, A.K.	.. (4) : 316

Raja, K.C.M.	.. (2) : 100	Rao, V.V.	.. (2) : 112
Rajagopal, K.V.	.. (2) : 56	Rathi, S.K.	.. (1) : 30
	(4) : 317	Rathod, K.T.	.. (4) : 325
Rajasekharasetty, M.R.	(3) : 171	Ravindranath	
Rajyalakshmi, T.	.. (2) : 101	Menon, N.	.. (2) : 113
Ramachandran, V.	.. (4) : 318	Revankar, G.D.	.. (1) : 35
Ramachandran, V.S.	.. (2) : 93	Rodgi, S.S.	.. (4) : 305
	(3) : 183	Roy, B.N.	.. (3) : 192
	(4) : 319	Roy, P.	.. (3) : 120
Ramamirthan, C.P.	.. (2) : 102		(4) : 326
Ramamurty, S.	.. (2) : 97	Roychowdhury, A.K.	(3) : 193
Raman, K.	.. (2) : 103	Sachidanandam, A.	(4) : 327
Ramanujacharyulu, C.	(3) : 139	Saha, G.N.	.. (1) : 31
Ramaraju, T.S.	.. (2) : 101 & 104		(4) : 223
Rama Rao, K.V.	.. (1) : 19 & 20	Saha, K.C.	.. (3) : 194
	(3) : 187	Saidapur, S.K.	.. (4) : 328
	(4) : 320, 285,	Saigal, B.N.	.. (4) : 329
	286 & 290	Saksena, D.N.	.. (1) : 2
Rama Sarma, D.V.	.. (2) : 105	Samuel, C.T.	.. (2) : 60
	(4) : 321		(4) : 330
Ranadhir, M.	.. (4) : 322	Saralaya, K.V.	.. (4) : 331
Ranganathan, V.	.. (2) : 57	Satyanarayana	
Rangaswamy, C.P.	.. (4) : 323	Rao, T.S.	.. (2) : 53
Rao, A.V.P.	.. (2) : 106	Satyanarayana,	
Rao, B.V.S.	.. (4) : 234	A.V.V.	.. (4) : 332, 333 & 334
Rao, C.R.S.	.. (3) : 188	Saxena, B.S.	.. (4) : 335
Rao, D.R.	.. (2) : 101	Saxena, R.K.	.. (2) : 116
Rao, D.S.	.. (3) : 189		(3) : 200 & 201
Rao, G.R.	.. (1) : 29		(4) : 336
	(3) : 200	Sehgal, K.L.	.. (1) : 31 & 33
Rao, K.J.	.. (1) : 8 & 29		(4) : 337
	(4) : 231	Sekharan, K.V.	.. (2) : 114 & 115
Rao, K.S.	.. (2) : 107		(3) : 195
Rao, K.V.	.. (2) : 109 & 116		(4) : 338
	(3) : 200, 201 & 202	Selvaraj, C.	.. (1) : 25 & 34
Rao, K.V.S.	.. (2) : 108		(4) : 202 & 203
Rao, L.H.	.. (3) : 200	Sen, D.P.	.. (1) : 35
Rao, M.G.	.. (3) : 185		(4) : 339
Rao, N.G.S.	.. (2) : 56 & 116	Sen, P.R.	.. (1) : 5
Rao, P.L.N.	.. (2) : 116		(2) : 76
Rao, P.S.	.. (4) : 324	Sengupta, A.	.. (3) : 196
Rao, P.V.	.. (3) : 190	Sengupta, J.C.	.. (3) : 194
Rao, R.M.	.. (3) : 153	Sengupta, R.	.. (3) : 196
Rao, T.A.	.. (2) : 110	Seshappa, G.	.. (3) : 197
Rao, V.R.	.. (2) : 111	Shah, K.L.	.. (1) : 33
Rao, V.S.	.. (3) : 191		

Sharma, H.S. .. (2) : 112
 Sharma, K.P. .. (1) : 32
 Sharma, S. .. (2) : 98
 Shenoy, G. .. (4) : 365
 Shetty, H.P.C. .. (2) : 116
 (3) : 173, 198, 199,
 200, 201 & 202

(4) : 340
 Shirgur, G.A. .. (2) : 117
 (4) : 341
 Shrivastava, P. .. (4) : 342
 Shukla, J.P. .. (1) : 33
 Shukla, R.P. .. (4) : 298 & 299
 Siddiqui, A.Q. .. (3) : 168 & 169
 (4) : 272

Simlot, M.M. .. (1) : 32
 Singh, H.T. .. (3) : 127
 Singh, A. .. (3) : 145
 Singh, B.N. .. (1) : 14 & 36
 Singh, S.B. .. (3) : 203
 (4) : 343
 Singh, T. .. (4) : 344
 Singit, G.S. .. (3) : 126
 Sinha, G.M. .. (1) : 22
 Sinha, M. .. (3) : 200 & 201
 Sinha, V.R.P. .. (3) : 204
 (4) : 345

Sitarama Rao, J. .. (4) : 346
 Sivadas, T.K. .. (2) : 118
 Somasekharan Nair, K.V. (3) : 206
 Sreekrishna, Y. .. (4) : 346
 Srivastava, C.B. .. (4) : 347
 Srivastava, K.P. .. (2) : 116
 Srivastava, N.K. .. (3) : 201 & 202
 Srivastava, R.K. .. (4) : 348
 Srivastava, S. .. (1) : 37
 Subrahmanyam, M. .. (2) : 119
 (3) : 205
 (4) : 350

Subramonia Pillai, N. (4) : 349
 Sudhakara Rao, G. .. (3) : 195
 Sugunan, V.V. .. (4) : 351
 Sukul, N.C. .. (4) : 257
 Sukumaran, K.K. .. (1) : 18
 Sulochanan, P. .. (4) : 349

Sundararaj, B.I. .. (1) : 24
 Suryanarayanan, H. ... (4) : 352
 Suseelan, C. .. (3) : 206
 Swarup, K.S. .. (1) : 37
 Talwar, P.K. .. (1) : 38
 Tampi, P.R.S. .. (1) : 28
 (2) : 120
 (3) : 207

Tewari, S.K. .. (3) : 200
 Tranter, D.J. .. (2) : 54
 Tripathi, S.D. .. (3) : 161
 Tripathi, Y.R. .. (3) : 208
 (4) : 353

Tyagi, A.P. .. (4) : 354
 Udupa, K.S. .. (4) : 355

Unnikrishnan Nair, N. .. (4) : 356 & 357

Vartak, H.G. .. (4) : 358
 Vasantha, M. .. (2) : 83
 Vasantha, N. .. (3) : 180
 (4) : 291

Vasantha Kumar, R. .. (3) : 189
 Vasantha Shenoy, A. .. (4) : 359
 Vass, K.K. .. (3) : 209

Vedavyasa Rao, P. ... (2) : 81
 Velu, M. .. (4) : 360

Venugopal, N. Ratnam. (1) : 39
 Venugopal, P. .. (2) : 113

Visweswara Rao, V. .. (4) : 361 & 362
 Wishard, S.K. .. (3) : 202

Yazdani, G.M. .. (1) : 40
 (4) : 284, 307,
 363 & 364

Yermal, J.R. .. (4) : 365
 Zutshi, D.P. .. (3) : 209

III. CUMULATIVE SUBJECT INDEX VOL.11, Nos. 1-4

(Reference is given to the serial number of the entry.)

AQUATIC INSECTS	(4) : 341
BEHAVIOUR : <u>Breeding</u>	(2) : 66 & 111
<u>Feeding</u>	(2) : 67 & 70
<u>General</u>	(5) : 143
BENTHOS : <u>General</u>	(2) : 74
<u>Zoobenthos</u>	(2) : 91
		(3) : 141
BIBLIOGRAPHY ABSTRACTS & DOCUMENTATION METHODS :	(4) : 241 & 271
BIOCHEMISTRY :	(2) : 55 & 110
		(3) : 127, 146 & 171
		(4) : 255, 272, 301, 328, 345 & 352
DISTRIBUTION AND ECOLOGY:		
<u>Distribution, Fish</u>	(1) : 20
		(2) : 77
		(3) : 187
		(4) : 307, 317 & 347
EXPERIMENTAL & EXPLORATORY FISHING	(2) : 93, 97 & 109
		(4) : 332
FISH CULTURE :		
<u>Brackishwater fish culture</u>	(1) : 9, 11 & 18
		(4) : 247 & 248
<u>Freshwater fish culture</u>	(2) : 103 & 117
		(3) : 196 & 204
		(4) : 224, 230, 279 & 287
<u>General</u>	(4) : 229, 329 & 343
<u>Induced & artificial breeding</u>	(4) : 226 & 270
FISH EGGS, LARVAE & JUVENILES :		
<u>Embryology & Development</u>	(1) : 4, 29 & 34
		(2) : 46, 49, 50, 70, 72, 76 & 96
FISH FOOD :		
<u>Artificial fish foods</u>	(1) : 5 & 15
FISH MORTALITY :	(2) : 108
		(4) : 223 & 341

FISH PATHOLOGY :	(1) : 13 & 17 (2) : 57, 88 & 100 (3) : 124 & 132 & 154 (4) : 228, 294, 297-300
FISH POISONS :	(1) : 32 (3) : 130
FISH SEED :	(2) : 56 (3) : 129, 131, 134, 137, 138, 145, 151, 159, 172, 173, 175, 194, 198, 199, 203, 207 & 208
FISH TECHNOLOGY :	(1) : 35 & 39 (2) : 83 (4) : 244, 254, 256, 266, 267, 274-276, 278, 309, 339, 355 & 365
FISHERIES BIOLOGY & POPULATION DYNAMICS :	(1) : 7, 12, 25-27 & 33 (2) : 45, 48, 51, 52, 58, 61, 62, 68, 69, 75, 78, 107, 114, 115 & 120 (3) : 121, 123, 128, 142, 155, 157, 162-164, 166, 177, 193, 195, 197 & 206 (4) : 254, 265, 302-304, 311, 316 & 323
FISHERIES EDUCATION, TRAINING, CO-OPERATIVES, SOCIO-ECONOMICS :		(4) : 212, 225, 336 & 338
FISHERIES MANAGEMENT :		
<u>Extension & development</u>	(2) : 95
FISHERIES STATISTICS :	(1) : 6 & 21 (2) : 44 & 60 (3) : 139 & 178 (4) : 235 & 274
FISHERIES SURVEYS & INVESTIGATIONS :	(1) : 21 (3) : 174 (4) : 213, 242, 286 & 340
FISHERY ECONOMICS :	(3) : 145 & 185 (4) : 277, 322, 324 & 335

FISHING CRAFTS & FISHING AIDS:

<u>Fishing aids</u> (2) : 118
<u>Fishing vessels and accessories</u> (4) : 217, 349, 356 & 357
<u>General</u> (4) : 319, 327 & 332

FISHING & FISH PROCESSING
INDUSTRY :

.... (1) : 6
(2) : 63 & 79
(4) : 359

FISHING METHODS & GEAR :

<u>General</u> (1) : 19
	(4) : 292, 334, 346 & 360
<u>Line fishing</u> (3) : 144
<u>Nets and net fishing</u> (2) : 85 & 104
	(3) : 125
	(4) : 203 & 333

FISH FARMING :

.... (1) : 16
(2) : 71
(4) : 236, 237, 290 & 328

GENERAL REPORTS :

.... (1) : 1, 21 & 28
(2) : 42, 43, 60, 64 & 116
(3) : 122, 135, 140, 147-150, 158, 160, 161, 167, 184, 192, 200-202
(4) : 214, 215, 218, 220, 227, 232, 233, 238-240, 246, 252, 253, 260, 262-264, 268, 273, 282, 295, 296, 308, 314, 315, 325, 331, 337, 342, 351, 353 & 358
.... (4) : 221

GENETICS :

HYDROGRAPHY, METEOROLOGY &

GENERAL ECOLOGY :

Inland waters

.... (2) : 105
(3) : 191 & 209
(4) : 305

Marine waters

.... (2) : 41 & 102
(3) : 189

MISCELLANEOUS FISHERIES :

.... (3) : 170

MORPHOLOGY, ANATOMY & HISTOLOGY:

CrustaceaFish

(1) : 10

(1) : 2, 22, 37 & 40

(2) : 66, 98, 99 & 112

(3) : 124

(4) : 225, 231, 151,
280, 281, 289,
307 & 343

PACKAGING, TRANSPORTATION &

MARKETING :

PHYSIOLOGY :

PLANKTON: General

(4) : 318

(1) : 3, 14, 16, 24, 30 & 36

(4) : 257, 344 & 354

(1) : 31

(2) : 84

(3) : 169

(4) : 249, 250 & 321

Phytoplankton

(1) : 23

(2) : 73

(3) : 133 & 165

Productivity

(3) : 168 & 186

Zooplankton

(1) : 23 & 31

(2) : 53, 54, 89, 90,
94 & 113

(4) : 210, 243 & 293

POND FERTILIZATION & SOIL

CHEMISTRY :

(2) : 47

(3) : 26

(4) : 219

SHELL FISH FISHERIES :

Crustaceans(2) : 60, 65, 81, 86, 101,
103, 106 & 119(3) : 136, 152, 153, 156,
180, 183, 190 & 205(4) : 291, 310, 312, 313,
330 & 350Molluscan fisheries

(3) : 146

(4) : 211, 301 & 352

SYSTEMATICS : Crustaceans

(2) : 87

(3) : 179

Fishes

(1) : 38

(2) : 59 & 99

(3) : 176

(4) : 216, 234, 250, 259,
284, 285, 320, 361-364General

(3) : 181

TAGGING & MARKING :

... (2) : 80

(4) : 269

WATER POLLUTION :

... (1) : 3 & 32

(2) : 82

(3) : 182 & 188

(4) : 261, 310 & 326

WEEDS & WEED CONTROL :

• • • (2) : 92

(4) 288 & 306

IV . CUMULATIVE TAXONOMIC INDEX, VOL 11, Nos. 1-4

(Based on the taxonomic terms of fishes occurring in the titles of entries. Names of the authorities have been omitted from taxonomic terms. Reference is given to the serial number of the entry.)

<u>Acentrogobius cyanomos</u>	...	(4):361
<u>A. madrasiptensis</u>	...	(4):361
<u>A. reichei</u>	...	(4):361
<u>A. viridipunctatus</u>	...	(4):361
<u>Acetes cochiniensis</u>	...	(2):81
<u>A. erythraeus</u>	...	(2):81
<u>A. indicus</u>	...	(2):50, 62 & 81
		(3):151
<u>A. japonicus</u>	...	(2):81
<u>Ailia coilia</u>	...	(2):62 & 99
		(3):127
		(4):286 & 347
<u>Alburnus alburnus</u>	...	(1):30
<u>Alpheus malabaricus</u>	...	(2):81
<u>A. palaudicola</u>	...	(2):81
<u>A. rapax</u>	...	(2):81
<u>Ambasis baculis</u>	...	(2):62
		(4):295
<u>A. nama</u>	...	(1):6
		(2):62 & 99
		(4):286, 295 & 347
<u>A. ranga</u>	...	(2):62
		(4):286 & 347
<u>Ambasis spp.</u>	...	(2):50 & 72
<u>Amblyceps mangois</u>	...	(1):33
<u>Amblypharyngodon mola</u>	...	(1):25 & 33
		(2):62 & 99
		(4):286, 295, 296
		299 & 347
<u>Amphipnous cuchia</u>	...	(2):62
		(3):127
		(4):286 & 289
<u>Anabas sp.</u>	...	(4):230

<u>Anabas testudineus</u>	...	(2): 99 (3): 196 (4): 257
<u>Anchoviella commersoni</u>	...	(2): 62
<u>A. indica</u>	...	(2): 62
<u>Anchowiella</u> sp.	...	(2): 50 & 72 (3): 151 (4): 339
<u>A. tri</u>	...	(2): 52
<u>Angraulis kammalensis</u>	...	(2): 50
<u>Anguila bengalensis</u>	...	(2): 62 (3): 134 (4): 286
<u>Anodontostoma chacunda</u>	...	(2): 19 & 64 (4): 299
<u>Aplocheilus panchax</u>	...	(2): 62 (4): 286
<u>Apocryptes bato</u>	...	(2): 62 (4): 286
<u>Argyrosomus hololepidotus</u>	...	(3): 176
<u>Arius dussumieri</u>	...	(3): 206
<u>A. jella</u>	...	(3): 206
<u>A. thalassinus</u>	...	(3): 206
<u>Aspidoparia morar</u>	...	(1): 33 (2): 99 (3): 138 (4): 347
<u>Atrobucca nibe</u>	...	(3): 176
<u>Badis badis</u>	...	(2): 50 (4): 286 & 347
<u>Bagarius bagarius</u>	...	(2): 99 (3): 138
<u>Barbatogobius</u> sp.	...	(4): 361
<u>Barilius barila</u>	...	(1): 33 (4): 295 & 347
<u>B. barna</u>	...	(2): 99 (4): 295 & 347
<u>B. bendelisis</u>	...	(1): 33 (2): 99 & (4): 347
<u>B. bola</u>	...	(3): 99 (4): 295 & 347
<u>B. modestus</u>	...	(1): 33
<u>B. vegra</u>	...	(1): 33 (2): 99

<u>B. shora</u>	...	(1)	: 33
<u>Barilius</u> spp.	...	(3)	: 138
<u>Bathygobius fuscus</u>	...	(4)	: 361
<u>Bemprops caudimacula</u>	...	(3)	: 183
<u>Boleophthalmus boddaerti</u>	...	(2)	: 63
<u>Bothus aepenosoma</u>	...	(2)	: 72
<u>Botia birdi</u>	...	(1)	: 33
		(2)	: 78
<u>B. dayi</u>	...	(2)	: 99
<u>Brachirus zebra</u>	...	(4)	: 320
<u>Brachiurus orientalis</u>	...	(2)	: 72
		(4)	: 286
<u>Brachygobius manus</u>	...	(2)	: 62
		(4)	: 286
<u>Bregmaceros mCclellandi</u>	...	(4)	: 304
<u>Brotula jerdoni</u>	...	(4)	: 285
<u>B. multibarbata</u>	...	(1)	: 20
<u>Callogobius melanoptera</u>	...	(4)	: 361
<u>Caranx carangus</u>	...	(2)	: 62
		(4)	: 286
<u>C. kalla</u>	...	(2)	: 67-69 & 97
<u>C. melamapygus</u>	...	(4)	: 286
<u>C. sansim</u>	...	(3)	: 144
<u>C. sexfasciatus</u>	...	(2)	: 97
<u>Caranx sp.</u>	...	(2)	: 72
		(4)	: 339
<u>Caridina weberi</u>	...	(3)	: 180
		(4)	: 291
<u>Catla catla</u>	...	(1)	: 5, 18, 33
		(2)	: 47, 62, 75, 76, 99 & 116
		(3)	: 126, 129, 131, 134, 137, 138, 145, 158-161, 194, 200-202 & 204
		(4)	: 221, 223, 224, 226, 286, 295, 299, 329, 341, 344 & 347
<u>Centripistis sp.</u>	...	(3)	: 183
<u>Chagunia chagunio</u>	...	(1)	: 22
		(2)	: 99
<u>Chamda bacilos</u>	...	(2)	: 99
<u>Channa gachua</u>	...	(1)	: 33
		(2)	: 62 & 99
		(3)	: 196
		(4)	: 286 & 344

<u>C. marulius</u>	...	(1) : 33 (3) : 134, 167 & 196 (4) : 287, 344, 347 & 363
<u>C. orientalis</u>	...	(4) : 363
<u>C. punctatus</u>	...	(1) : 33 (3) : 127 & 196 (4) : 225, 272, 286, 287, 298, 299, 300, 347 & 363
<u>C. stewarti</u>	...	(1) : 40
<u>Channa spp.</u>	...	(4) : 230 & 329
<u>C. striatus</u>	...	(1) : 32 (3) : 134, 167 & 196 (4) : 272 & 287
<u>Chanos chanos</u>	...	(1) : 9 (2) : 72 & 96 (3) : 167 & 207 (4) : 246-248
<u>Chela labuca</u>	...	(2) : 99
<u>Chela sp.</u>	...	(2) : 72
<u>Chelon waigiontis</u>	...	(4) : 286
<u>Chirocentrus dorab</u>	...	(2) : 62 (3) : 125 & 144
<u>Chlorophthalmus sp.</u>	...	(3) : 183
<u>Chorinemus lysan</u>	...	(3) : 144
<u>Cirrhinus cirrhosa</u>	...	(2) : 56 & 99 (3) : 134, 137, 138, 159, 167 & 200
<u>C. mrigala</u>	...	(1) : 3, 5, 8, 18 & 33 (2) : 47, 62, 70, 75, 76, 99 & 116 (3) : 126, 129, 131, 134, 137, 138, 145, 149, 158-161, 167, 194, 200-202 & 204 (4) : 221, 223, 224, 226, 286, 295, 329, 341, 344 & 347
<u>C. reba</u>	...	(1) : 33 (2) : 62 & 99 (3) : 127, 134, 138, 167 & 200 (4) : 221, 229, 286, 295, 299 & 347

<u>Clarias batrachus</u>	...	(1) : 36
		(2) : 99
		(3) : 143, 149 & 196
		(4) : 225, 270, 272, 286, 287 & 344
<u>C. macrocephalus</u>	...	(4) : 270
<u>Clarias sp.</u>	...	(4) : 230
<u>Clupisoma antherinoides</u>	...	(2) : 62
		(4) : 286
<u>C. garua</u>	...	(1) : 33
		(2) : 88 & 99
		(3) : 127
		(4) : 347 & 286
<u>C. paradisius</u>	...	(4) : 286
<u>C. murius</u>	...	(4) : 286
<u>Coilia borneensis</u>	...	(2) : 62
<u>C. dussumieri</u>	...	(1) : 6 (2) : 62
<u>C. korna</u>	...	(4) : 234
<u>C. ramcarti</u>	...	(2) : 62
<u>C. reynaldi</u>	...	(2) : 62
		(4) : 286
<u>Colisa fasciata</u>	...	(1) : 3 & 33
		(3) : 127
		(4) : 286
<u>Colisa sp.</u>	...	(4) : 230
<u>Corica soborna</u>	...	(2) : 62
		(4) : 286 & 347
<u>Corvina axillaris</u>	...	(3) : 176
<u>C. semilucatus</u>	...	(3) : 176
<u>Crassostrea gryphoides</u>	...	(4) : 211
<u>Crossocheilus latius</u>	...	(1) : 33
		(2) : 99
		(3) : 127
		(4) : 347
<u>Ctenogobius cringer</u>	...	(4) : 361
<u>Ctenopharyngodon idella</u>	...	(1) : 18
		(3) : 131, 149, 158, 160, 161 & 204
		(4) : 224 & 343
<u>Ctenops nobilis</u>	...	(2) : 99
<u>Cubiceps sp.</u>	...	(3) : 183

<u>Cyanoqlossus cyanoqlossus</u>	...	(2) : 62
	...	(4) : 286
<u>C. lingua</u>	...	(2) : 62
	...	(4) : 286
<u>C. patoca</u>	...	(4) : 286
<u>C. semifasciatus</u>	...	(1) : 39
<u>Cyanoqlossus sp.</u>	...	(2) : 72
<u>Cynaqrís sp.</u>	...	(4) : 332
<u>Cyprinus carpio</u>	...	(1) : 4, 5 & 18
		(2) : 76 & 99
		(3) : 126, 149, 158,
		167, 203 & 204
		(4) : 221, 223, 224,
		226, 229 & 343
<u>Danio aequipinnatus</u>	...	(2) : 112
<u>D. devario</u>	...	(1) : 33 (2) : 99 & 112
<u>D. regina</u>	...	(2) : 112
<u>D. rerio</u>	...	(1) : 33
		(2) : 112
		(4) : 286 & 347
<u>Decapterus sp.</u>	...	(4) : 332
<u>Dendrophysa resseli</u>	...	(3) : 176
<u>Dinematichthys iluocœeteoides</u>	...	(1) : 20
<u>Discognathus lamta</u>	...	(2) : 99
<u>Eleotris fusca</u>	...	(2) : 62
		(4) : 286
<u>E. lutea</u>	...	(4) : 286
<u>Eleutheronema tetradactylum</u>	...	(2) : 62, 72 & 97
		(3) : 151
		(4) : 246 & 248
<u>Elops machanata</u>	...	(1) : 9
<u>E. saurus</u>	...	(2) : 72
		(4) : 246
<u>Emmelichthys sp.</u>	...	(3) : 183
<u>Epinephelus spp.</u>	...	(2) : 72
<u>Epinulla orientalis</u>	...	(3) : 183
<u>Esomus danrica</u>	...	(1) : 7 & 33
		(2) : 62 & 99
		(4) : 286, 295,
		298 & 299
<u>Etroplus suratensis</u>	...	(1) : 9 & 27
		(2) : 72
		(3) : 134, 151 & 167
		(4) : 246
<u>E. maculatus</u>	...	(1) : 9
		(4) : 246

<u>Euthynnus affinis</u>	...	(3)	: 144
<u>Eutropiichthys murius</u>	...	(4)	: 347
<u>E. vacha</u>	...	(2)	: 62, 88 & 99
		(3)	: 127
<u>Gagata cenia</u>	...	(4)	: 286 & 347
		(2)	: 62
<u>G. gagata</u>	...	(4)	: 258
<u>G. sexualis</u>	...	(4)	: 258 & 286
<u>Garra gotyla</u>	...	(4)	: 258
<u>Gerres oyena</u>	...	(1)	: 33
<u>G. setifer</u>	...	(2)	: 62
		(1)	: 26
		(2)	: 97
		(4)	: 248
<u>Gerres sp.</u>	...	(2)	: 72
<u>Glossogobius biocellatus</u>	...	(4)	: 361
<u>G. elegans</u>	...	(2)	: 62
<u>G. giuris</u>	...	(1)	: 2
		(2)	: 62 & 99
		(3)	: 127
		(4)	: 286, 347 & 361
<u>Glyptothorax botia</u>	...	(2)	: 99
<u>G. conirostris</u>	...	(1)	: 33
<u>G. pectnopterus</u>	...	(1)	: 33
<u>G. stoliczkae</u>	...	(1)	: 33
<u>G. telchitta</u>	...	(4)	: 347
<u>Gobioides rubicundus</u>	...	(2)	: 62
<u>Gobiopterus chuno</u>	...	(2)	: 62
		(4)	: 286
<u>Gobius vividipunctatus</u>	...	(4)	: 286
<u>Gonialosa manimina</u>	...	(2)	: 62
		(4)	: 286 & 347
<u>Grammoplites scaber</u>	...	(2)	: 97
<u>Gudusia chapra</u>	...	(2)	: 62 & 99
		(4)	: 286, 295 & 347
<u>Harpodon nehereus</u>	...	(1)	: 6
		(2)	: 62
		(3)	: 101 & 155
		(4)	: 247 & 309
<u>Hemirhamphus gaimardi</u>	...	(2)	: 62 & 72
		(4)	: 286

<u>Heteropneustes fossilis</u>	...	(1) : 14,15,30 & 32
		(2) : 51,62 & 99
		(3) : 127 & 196
		(4) : 225, 270,286,
		289,300 & 345
<u>Heteropneustes</u> sp.	...	(4) : 230
<u>Hilsa ilisha</u>	...	(1) : 12 & 17
		(2) : 62,72 & 99
		(3) : 125 & 151
		(4) : 247,248,282,286 &
		317
<u>H. kelee</u>	...	(2) : 72
<u>H. toli</u>	...	(2) : 62
<u>Hilsa</u> sp.	...	(3) : 193
<u>Hippocampus brachyrhynchus</u>	...	(2) : 72
<u>Holocentrus soldado</u>	...	(3) : 176
<u>Hypophthalmichthys molitrix</u>	...	(1) : 18
		(3) : 131,158,161 & 204
		(4) : 224,226,295 & 343
<u>Ilisha elongata</u>	...	(2) : 62
		(3) : 151
		(4) : 286
<u>I. indica</u>	...	(2) : 62
<u>I. filigra</u>	...	(3) : 206
<u>I. motius</u>	...	(2) : 62
		(4) : 347
<u>Johniops bleekeri</u>	...	(3) : 176
<u>J. osseus</u>	...	(3) : 176
<u>J. sina</u>	...	(3) : 176
<u>J. voqleri</u>	...	(3) : 176
<u>Johnius aneus</u>	...	(3) : 206
<u>J. axillaris</u>	...	(3) : 206
<u>J. belangerii</u>	...	(2) : 62 (3) : 176
<u>J. carutta</u>	...	(2) : 110(3) : 176 & 206
<u>J. coibor</u>	...	(4) : 286
<u>J. coiter</u>	...	(3) : 176
<u>J. dussumieri</u>	...	(3) : 142,176 & 206
		(4) : 286
<u>J. glaucus</u>	...	(3) : 176
<u>J. macropterus</u>	...	(3) : 176
<u>J. maculatus</u>	...	(3) : 176
<u>J. osseus</u>	...	(2) : 62
<u>J. semiluctosus</u>	...	(4) : 286
<u>J. sina</u>	...	(2) : 62

<u>Kowala coval</u>	...	(2) : 72
<u>K. thoracata</u>	...	(2) : 59
<u>Kurtus sp.</u>	...	(2) : 62
<u>Labeo ariza</u>	...	(4) : 229
<u>L. bata</u>	...	(2) : 62 & 99
		(3) : 138, 167 & 200
		(4) : 286 & 295
<u>L. boqa</u>	...	(1) : 33
		(2) : 99
<u>L. boqqut</u>	...	(1) : 34
		(2) : 99
		(4) : 229
<u>L. calbasu</u>	...	(1) : 18 & 33
		(2) : 62, 99 & 116
		(3) : 129, 134, 137, 138, 159, 160, 167, 194, 200, 201 & 202
		(4) : 226, 286, 295, 298 329 & 347
<u>L. dero</u>	...	(1) : 33
		(3) : 159
		(4) : 295
<u>L. dussumeiri</u>	...	(2) : 99
<u>L. dyocheileus</u>	...	(1) : 33
		(2) : 99
		(3) : 159
<u>L. fimbriatus</u>	...	(2) : 56, 99 & 104
		(3) : 134, 137, 138, 159 & 167
		(4) : 347 & 353
<u>L. gonius</u>	...	(1) : 33
		(2) : 99
		(3) : 159 (4) : 347
<u>L. kontius</u>	...	(2) : 56
		(3) : 134, 138, 167 & 200
		(4) : 295
<u>L. pangisia</u>	...	(1) : 33
		(2) : 99
<u>L. porcellus</u>	...	(2) : 56
		(3) : 138
<u>L. rohita</u>	...	(1) : 4, 5, 18 & 33
		(2) : 55, 62, 70, 75, 76, 99 & 116

<u>L. rohita</u>	...	(3) : 126, 129, 131, 134, 137, 145, 158, 159, 160, 161, 167, 185, 194, 200, 201, 202 & 204
		(4) : 221, 223, 224, 226, 286, 295, 329, 341, 344, 347 & 348
<u>Labuca labuca</u>	...	(4) : 295
<u>Lacterius lacterius</u>	...	(2) : 61, 97 & 109
<u>Lacterius sp.</u>	...	(4) : 333 & 339
<u>Lates calcarifer</u>	...	(1) : 9 & 11
		(2) : 62
		(3) : 151 & 153
		(4) : 246-248 & 299
<u>Lobistes sp.</u>	...	(1) : 30
<u>Leiognathus berbis</u>	...	(2) : 64
<u>L. bindus</u>	...	(2) : 97
<u>L. blochii</u>	...	(4) : 286
<u>L. brevirostris</u>	...	(2) : 64
<u>L. dussumieri</u>	...	(2) : 64
<u>L. equala</u>	...	(4) : 286
<u>L. insidiator</u>	...	(2) : 97
<u>L. lineolatus</u>	...	(2) : 64
<u>L. ruconius</u>	...	(2) : 97
		(4) : 286
<u>L. splendens</u>	...	(2) : 64 & 97
<u>Leiognathus sp.</u>	...	(2) : 72
<u>Lepidocephalus quntoa</u>	...	(1) : 33
		(2) : 99
<u>Lissocheilus hexagolepis</u>	...	(2) : 56
		(4) : 268
<u>Liza macrolepis</u>	...	(4) : 248
<u>L. troschelli</u>	...	(3) : 158
<u>Loligo vulgaris</u>	...	(4) : 301
<u>Lutjanus diacanthus</u>	...	(3) : 176
<u>Lutjanus argentimaculatus</u>	...	(2) : 62
<u>L. johnii</u>	...	(2) : 62
<u>Lutjanus sp.</u>	...	(2) : 72
<u>Macrobrachum australe</u>	...	(2) : 62
<u>M. carcinus</u>	...	(3) : 136
<u>M. dayanum</u>	...	(2) : 62
<u>M. equidens</u>	...	(2) : 81
<u>M. idae</u>	...	(4) : 246
<u>M. idella</u>	...	(2) : 81
<u>M. kemp</u>	...	(2) : 62
<u>M. lamarrei</u>	...	(2) : 62
		(3) : 151

<u>M. malcolmsonii</u>	...	(2) : 62 & 101 (3) : 151 & 158 (4) : 246
<u>M. mirabile</u>	...	(3) : 151
<u>M. rosenbergii</u>	...	(1) : 9 & 10 (2) : 62 & 81 (3) : 151, 152 & 158 (4) : 246 & 247
<u>M. rude</u>	...	(2) : 62 & 81 (3) : 151 & 152 (4) : 350
<u>M. soabriculum</u>	...	(2) : 62 & 81
<u>M. villosimanus</u>	...	(2) : 62 (3) : 151
<u>Macrognathus aculeatus</u>	...	(2) : 99 (4) : 347
<u>Macrones vittatus</u>	...	(4) : 295
<u>Macrospinosa cuja</u>	...	(3) : 176
<u>Mastocembelus armatus</u>	...	(1) : 33 (2) : 72 & 99 (3) : 127 (4) : 281, 286, 344 & 347
<u>M. pancalus</u>	...	(1) : 37, (2) : 99 (3) : 127 & 134 (4) : 289 & 347
<u>Mastocembelus sp.</u>	...	(3) : 138
<u>Macalops cyprinoides</u>	...	(1) : 9, (2) : 72
<u>Metapenæus affinis</u>	...	(2) : 50, 62, 81 & 97 (3) : 156, 174 & 190 (4) : 246, 313 & 350
<u>M. brevicornis</u>	...	(2) : 62 (3) : 151, 152 & 153 (4) : 246, 247 & 350
<u>M. burkenroadi</u>	...	(2) : 81
<u>M. dobsoni</u>	...	(2) : 81, 97 & 103 (3) : 152, 156, 174 & 190 (4) : 246, 247, 313 & 350
<u>M. hilarulus</u>	...	(2) : 86
<u>M. lysianassa</u>	...	(2) : 62
<u>M. mooiensis</u>	...	(2) : 86
<u>M. monoceros</u>	...	(2) : 62, 81, 97, 103 & 119 (3) : 151, 152, 153, 156, 174 & 190 (4) : 313 & 350

<u>Monotretus cutcutia</u>	...	(2) : 62
<u>Mugil cascasia</u>	...	(1) : 33
<u>M. cephalus</u>	...	(3) : 158, 161 & 167
		(4) : 247 & 323
<u>M. corsula</u>	...	(3) : 134 & 151
<u>M. cunnesius</u>	...	(2) : 62
		(4) : 246 & 247
<u>M. macrolepis</u>	...	(4) : 247 & 311
<u>M. parsia</u>	...	(2) : 50 & 62
		(3) : 151
		(4) : 246, 247 & 286
<u>Mugil spp.</u>	...	(1) : 9
		(3) : 153
		(4) : 299
<u>M. tade</u>	...	(2) : 62
		(4) : 246 & 247
<u>Muraenesox tababonoide</u>	...	(3) : 164, 166 & 206
<u>Mystus aor</u>	...	(2) : 57, 62 & 99
		(3) : 134
		(4) : 286, 287 & 347
<u>M. bleekeri</u>	...	(1) : 33
		(2) : 99
		(4) : 347
<u>M. cavauius</u>	...	(2) : 99
		(3) : 127, 128 & 138
		(4) : 347
<u>M. gulio</u>	...	(2) : 50, 62 & 72
		(3) : 153
		(4) : 248 & 286
<u>M. punctatus</u>	...	(3) : 134 & 138
<u>M. seenghala</u>	...	(1) : 33
		(2) : 62, 88 & 99
		(3) : 134
		(4) : 270, 286, 344 & 347
<u>Mystus spp.</u>	...	(4) : 270
<u>M. tengra</u>	...	(4) : 270, 286 & 303
<u>M. vittatus</u>	...	(1) : 33
		(2) : 52, 62, 88 & 99
		(3) : 127 & 138
		(4) : 229, 251, 270, 286, 347 & 354
<u>Nandus nandus</u>	...	(2) : 62 & 99
		(3) : 127
		(4) : 286, 290, 299 & 347

<u>Nanqra nanqra</u>	...	(4) : 258
<u>N. punctata</u>	...	(2) : 99
		(4) : 258
<u>N. vividescens</u>	...	(4) : 258
<u>Nematolosa nasus</u>	...	(1) : 9
		(2) : 72
<u>Nemipterus japonicus</u>	...	(2) : 61 & 72
		(3) : 174
<u>Nemipterus spp.</u>	...	(2) : 109
		(3) : 174
<u>Neothennus tonggol</u>	...	(4) : 265
<u>N. macropterus</u>	...	(4) : 265
<u>Nibea albida</u>	...	(3) : 176
<u>N. diacanthus</u>	...	(3) : 176
<u>Namacheilus botia</u>	...	(1) : 33
		(2) : 99
		(4) : 286 & 347
<u>N. botia aureus</u>	...	(1) : 33
		(4) : 286
<u>N. corica</u>	...	(1) : 33
<u>N. kangrae</u>	...	(1) : 33
<u>N. rajasthanicus</u>	...	(4) : 284
<u>N. rupicola</u>	...	(4) : 347
<u>Notopterus chitala</u>	...	(1) : 33
		(2) : 62 & 99
		(4) : 347
<u>N. notopterus</u>	...	(1) : 2, 24 & 33
		(2) : 62 & 99
		(3) : 138
		(4) : 286 & 347
<u>Notopterus sp.</u>	...	(4) : 230 & 295
<u>Ocosia vespa</u>	...	(3) : 187
<u>Olyra horae</u>	...	(4) : 307
<u>Ompok bimaculatus</u>	...	(1) : 33
		(2) : 57, 62, 98 & 99
		(3) : 138
		(4) : 286 & 295
<u>O. pabo</u>	...	(3) : 127
		(4) : 302
<u>Ompok sp.</u>	...	(4) : 270
<u>Onchistopterus tardoore</u>	...	(2) : 62
<u>Oreinus plagiostum</u>	...	(1) : 33
		(4) : 263 & 337
<u>O. sinuatus</u>	...	(1) : 33
<u>Oreinus spp.</u>	...	(4) : 263

<u>Osphronemus goramy</u>	...	(1) : 18 (3) : 158 & 167 (4) : 230 & 343
<u>Osteobrama cotio</u>	...	(1) : 25 (2) : 62 & 99 (4) : 295, 298 & 347
<u>O. vigorsii</u>	...	(2) : 99 (3) : 138
<u>Osteogobius militaris</u>	...	(1) : 6 (2) : 62 (3) : 176
<u>Otolithoides biauritus</u>	...	(3) : 176 & 206
<u>O. brunneus</u>	...	(3) : 176
<u>O. pama</u>	...	(3) : 176
<u>Otolithus argenteus</u>	...	(3) : 176
<u>O. aureus</u>	...	(3) : 176
<u>O. maculatus</u>	...	(3) : 176
<u>O. ruber</u>	...	(3) : 142, 176 & 206
<u>Oxygaster argentea</u>	...	(4) : 286
<u>O. bacails</u>	...	(1) : 25 & 33 (2) : 62 & 99 (4) : 286, 295 & 347
<u>O. clupeoides</u>	...	(1) : 33 (2) : 99
<u>O. qora</u>	...	(1) : 33 (2) : 99
<u>O. phulo</u>	...	(1) : 25 (4) : 286 & 295
<u>O. untrahi</u>	...	(4) : 286
<u>Oxyurichthys microlepis</u>	...	(4) : 361
<u>O. tentaculasis</u>	...	(4) : 361
<u>Palaemon rudis</u>	...	(3) : 151
<u>P. styliferus</u>	...	(2) : 81 (3) : 151, 152 & 153 (4) : 313 & 350
<u>Pama pama</u>	...	(2) : 62 (3) : 151 (4) : 247 & 347
<u>Pampus argenteus</u>	...	(1) : 6 (2) : 97 (3) : 125 & 166
<u>P. chinensis</u>	...	(2) : 97
<u>Panchax panchax</u>	...	(4) : 299
<u>Panchax spp.</u>	...	(2) : 72
<u>Pangasius pangasius</u>	...	(1) : 6 (3) : 134 & 138 (4) : 229, 270, 286, 287 & 295

<u>Panna microdon</u>	...	(3) : 176
<u>Parachaetruichthys polynema</u>	...	(4) : 361
<u>Paragobiopsis orbicularis</u>	...	(4) : 361
<u>Parapenaeopsis indica</u>	...	(3) : 179
<u>P. sculptilis</u>	...	(3) : 151, 152, 153 & 156
<u>P. stylifera</u>	...	(2) : 50 & 97
		(3) : 174
<u>Parastromateus niger</u>	...	(2) : 97
		(3) : 166
<u>Parathunnus obesus</u>	...	(4) : 265
<u>Pellona ditchela</u>	...	(2) : 62 & 94
<u>Penaeus canaliculatus</u>	...	(2) : 81
<u>P. indicus</u>	...	(2) : 81, 97, 103 & 106
		(3) : 151, 152, 153, 156 & 174
		(4) : 246-248, 313 & 350
<u>P. japonicus</u>	...	(2) : 81
<u>P. laticulatus</u>	...	(2) : 81
<u>P. monodon</u>	...	(1) : 9
		(2) : 81, 106 & 119
		(3) : 151-153, 156, 174 & 205
		(4) : 246, 247 & 350
<u>P. semiculatus</u>	...	(2) : 81
<u>Penahia aneus</u>	...	(3) : 176
<u>Periophthalmus pearsei</u>	...	(4) : 286
<u>P. scholsseri</u>	...	(4) : 286
<u>P. tradecemradiatus</u>	...	(4) : 286
<u>Peteroscrates bhattacharyae</u>	...	(2) : 72
<u>Pillaia indica</u>	...	(4) : 364
<u>Pimelodus chandramara</u>	...	(4) : 259
<u>Pinctada vulgaris</u>	...	(4) : 246
<u>Pisodonophis boro</u>	...	(2) : 62
		(4) : 286
		(2) : 72
<u>Platycephalus indicus</u>	...	(4) : 286
		(2) : 61
<u>P. maculipinna</u>	...	(4) : 286
<u>P. tuberculatus</u>	...	(2) : 62 & 72
<u>Plotosus canius</u>	...	(2) : 62
<u>Polydactylus indicus</u>	...	(3) : 166 & 206
		(2) : 66
<u>Polynemus heptadactylus</u>	...	(3) : 163 & 206

<u>P. indicus</u>	...	(2) : 50
<u>P. paradiseus</u>	...	(1) : 6
		(2) : 50 & 62
		(3) : 151
		(4) : 286
<u>Poritinus tentacularis</u>	...	(3) : 187
<u>Pomadasya hasta</u>	...	(2) : 62
		(3) : 166 & 206
<u>Pristipoma sp.</u>	...	(2) : 72
<u>Psenus sp.</u>	...	(4) : 332
<u>Pseudeutropius atherenoides</u>	...	(4) : 347
<u>P. taakree</u>	...	(3) : 138
		(4) : 295
<u>Pseudeutropius spp.</u>	...	(4) : 270
<u>Pseudosciaena aneus</u>	...	(2) : 110
<u>P. coibor</u>	...	(2) : 62 & 72
<u>P. diacanthus</u>	...	(2) : 107 & 108
		(3) : 166 & 206
<u>P. sina</u>	...	(2) : 61
<u>P. soldado</u>	...	(2) : 62
<u>Pterois russellii</u>	...	(4) : 320
<u>P. lunulata</u>	...	(4) : 320
<u>P. volitans</u>	...	(4) : 320
<u>P. miles</u>	...	(4) : 320
<u>Pteropterus radiata</u>	...	(4) : 320
<u>P. antennata</u>	...	(4) : 320
<u>P. mombasae</u>	...	(4) : 320
<u>Puerulus sewelli</u>	...	(3) : 183
<u>Puntius amphibius</u>	...	(2) : 99
<u>P. carnaticus</u>	...	(2) : 56
		(3) : 134, 138 & 159
		(4) : 295
<u>P. chaqunio</u>	...	(4) : 347
<u>P. chola</u>	...	(4) : 299
<u>P. chrysopterus</u>	...	(1) : 33
<u>P. conchonus</u>	...	(1) : 33
		(2) : 62 & 99
		(4) : 286
<u>P. dobsonii</u>	...	(3) : 138
<u>P. dorsalis</u>	...	(4) : 229
<u>P. dubius</u>	...	(3) : 134 & 159
		(4) : 295
<u>P. gelius</u>	...	(2) : 62
		(4) : 286
<u>P. hexagonolepis</u>	...	(3) : 134
		(4) : 295
<u>P. jerdoni</u>	...	(2) : 56

<u>P. kolus</u>	...	(3) : 138
		(4) : 295
<u>P. pulchellus</u>	...	(2) : 56
		(4) : 229
<u>P. sarana</u>	...	(1) : 33
		(2) : 62 & 99
		(3) : 127, 134 & 138
		(4) : 286, 295 & 347
<u>P. sophore</u>	...	(2) : 62 & 88
		(4) : 286, 299 & 347
<u>P. stioma</u>	...	(1) : 25 & 33
		(3) : 138
		(4) : 295
<u>P. tetrarupagus</u>	...	(1) : 33
<u>P. terio</u>	...	(1) : 33
<u>P. ticto</u>	...	(1) : 25 & 33
		(2) : 62 & 72
		(4) : 286, 295, 300 & 347
<u>Puntius spp.</u>	...	(4) : 345
<u>Raconda russelliana</u>	...	(1) : 6
		(2) : 62
<u>Raitaborua raitaborua</u>	...	(4) : 286
<u>Rana catesbeiana</u>	...	(4) : 263
<u>R. crassa</u>	...	(4) : 263
<u>R. cyanophlyctis</u>	...	(4) : 328
<u>R. hexadactyla</u>	...	(1) : 16
		(2) : 71
		(3) : 158
		(4) : 263 & 290
<u>R. limnocharis</u>	...	(4) : 237
<u>R. tigrina</u>	...	(3) : 158
		(4) : 236, 238, 263 & 290
<u>Rasbora daniconius</u>	...	(1) : 33
		(2) : 62
		(3) : 171
		(4) : 286, 316 & 347
<u>Rastrelliger kanaquarta</u>	...	(2) : 46, 83 & 111
		(3) : 197
		(4) : 269
<u>Rastrelliger sp.</u>	...	(2) : 62, 72 & 99
<u>Rhinomugil corsula</u>	...	(3) : 127
		(4) : 246 & 286
<u>Rita pavementata</u>	...	(4) : 353

<u>R. rita</u>	...	(1) : 33
		(2) : 62 & 99
		(4) : 286 & 347
<u>Salmo gairdneri</u>	...	(4) : 337
<u>S. hucho</u>	...	(4) : 337
<u>S. salar</u>	...	(4) : 337
<u>S. trutta fario</u>	...	(4) : 337
<u>Samaris macrolepis</u>	...	(2) : 72
<u>Sardinella albella</u>	...	(2) : 114 & 115
		(4) : 254
<u>S. gibbosa</u>	...	(2) : 114 & 115
		(3) : 195
		(4) : 254 & 269
<u>S. fimbriata</u>	...	(2) : 48 & 97
		(4) : 269 & 254
<u>S. longiceps</u>	...	(2) : 45, 58, 83 & 97
		(3) : 121 & 123
		(4) : 269
<u>Sardinella sp.</u>	...	(1) : 35
<u>Saurida sp.</u>	...	(4) : 333
<u>S. tumbil</u>	...	(2) : 61 & 97
		(4) : 294
<u>Scatophaqus argus</u>	...	(2) : 62 & 72
		(4) : 286
<u>Schizothorax esocinus</u>	...	(4) : 337
<u>S. niger</u>	...	(2) : 78
		(3) : 162
<u>S. plagiostomus</u>	...	(4) : 344
<u>S. procastus</u>	...	(4) : 337
<u>Schizothorax spp.</u>	...	(4) : 263
<u>Sciaena albida</u>	...	(2) : 62
<u>S. cirrosa</u>	...	(3) : 176
<u>S. dussumieri</u>	...	(3) : 206
<u>S. gluca</u>	...	(2) : 62
<u>S. sinuata</u>	...	(2) : 62
<u>S. vogleri</u>	...	(2) : 62
<u>Sciaena sp.</u>	...	(2) : 72
<u>S. umbra</u>	...	(3) : 176
<u>Sciaenoides biauritus</u>	...	(1) : 6
<u>Scomberomorus commersorii</u>	...	(3) : 144
<u>S. guttatus</u>	...	(3) : 125
		(4) : 346
<u>Scylla serrata</u>	...	(2) : 65
		(4) : 246 & 248

<u>Sepia orientalis</u>	...	(4) : 301
<u>Setarches loquimanus</u>	...	(3) : 187
<u>Setipinna phasa</u>	...	(1) : 6
		(2) : 62
		(3) : 151 & 157
		(4) : 286
<u>Setipinna sp.</u>	...	(1) : 6
<u>S. taty</u>	...	(2) : 62
<u>Silhouetta indicus</u>	...	(4) : 361
<u>Sillago paniquis</u>	...	(2) : 62
		(4) : 286
<u>S. shiama</u>	...	(2) : 62 & 72
		(4) : 248
<u>Silonia childrenii</u>	...	(4) : 295
<u>S. silondia</u>	...	(2) : 62 & 99
		(3) : 134
		(4) : 295 & 347
<u>Sisor rabdophorus</u>	...	(4) : 280
<u>Solenocera indica</u>	...	(2) : 87
<u>S. melantho</u>	...	(2) : 86
<u>S. pectinata</u>	...	(2) : 86
<u>Sphyraena raghara</u>	...	(2) : 72
<u>Sphyraena sp.</u>	...	(2) : 109
		(3) : 144
<u>Stigmatogobius micrognathus</u>	...	(4) : 361
<u>S. minima</u>	...	(4) : 361
<u>S. sadanundi</u>	...	(4) : 361
<u>S. yanamensis</u>	...	(4) : 361
<u>Stolephorus indica</u>	...	(4) : 286
<u>S. tri</u>	...	(4) : 286
<u>Stromateus cinereus</u>	...	(4) : 266, 267 & 278
<u>Strongylura strongylura</u>	...	(2) : 72
<u>Tachysurus qagora</u>	...	(2) : 62
		(4) : 286
<u>T. jella</u>	...	(1) : 6
		(2) : 62 & 97
		(2) : 62
<u>T. nenga</u>	...	(2) : 62
<u>T. sona</u>	...	(3) : 177
<u>T. thalassinus</u>	...	(4) : 286 & 347
<u>Tetradon cutcutia</u>	...	(4) : 286
<u>T. leopardus</u>	...	(4) : 286
<u>T. oblongus</u>	...	(2) : 72
<u>Tetradon sp.</u>	...	(2) : 62 & 97
<u>Therapon jarbua</u>	...	(2) : 72
<u>Therapon spp.</u>	...	

<u>Thrissocles dussumieri</u>	...	(3) : 132
<u>T. hamiltoni</u>	...	(2) : 62 & 64
		(4) : 286
<u>T. malabaricus</u>	...	(2) : 97
		(3) : 206
<u>T. mystax</u>	...	(2) : 97
<u>T. purava</u>	...	(2) : 62
		(4) : 286
<u>T. setirostris</u>	...	(2) : 97
<u>Thrissocles spp.</u>	...	(2) : 72
<u>Thynnus macropterus</u>	...	(3) : 144
<u>Tilapia mossambica</u>	...	(1) : 9
		(2) : 99 & 103
		(3) : 124
		(4) : 228, 246, 287, 295, 299, 343 & 359
<u>Tor khudree</u>	...	(2) : 99
		(4) : 268
<u>T. putitora</u>	...	(1) : 33
		(2) : 99
		(4) : 263, 268 & 337
<u>T. tor</u>	...	(2) : 99
		(4) : 295, 337, 344 & 353
<u>Trachypenaeus granulosus</u>	...	(2) : 86
<u>T. seoli</u>	...	(2) : 86
<u>Tricanthus brevirostris</u>	...	(2) : 72
<u>Trichiurus lepturus</u>	...	(1) : 29
		(2) : 61 & 120
<u>T. pantului</u>	...	(4) : 247
<u>T. savala</u>	...	(4) : 247
<u>Trichiurus sp.</u>	...	(1) : 6
<u>Trichoqaster chuna</u>	...	(2) : 99
<u>T. fasciatus</u>	...	(2) : 99
<u>Ulna mandibularis</u>	...	(2) : 77
<u>Umbrina dussumieri</u>	...	(1) : 38
<u>U. sinuata</u>	...	(3) : 176
<u>Waitea buehanani</u>	...	(4) : 362
<u>W. duque</u>	...	(4) : 362
<u>Wallago attu</u>	...	(1) : 33
		(2) : 57, 88 & 99
		(3) : 134 & 138
		(4) : 224, 270, 286, 287, 295, 344 & 347
<u>Xenarchopterus dispar</u>	...	(4) : 286
<u>Xenentodon cancila</u>	...	(1) : 33
		(2) : 62 & 99
		(3) : 127
		(4) : 286, 298 & 347
<u>Xiphophorus sp.</u>	...	(1) : 30

V. CUMULATIVE SERIAL INDEX VOL 11, Nos. 1-4

(Reference is given to the serial no. of the entry)

* Foreign
// Reprint

<u>Barrackpore, Central Inland Fisheries</u>			
<u>Research Institute, Annual Report, 1971</u>		(4): 220
<u>Bull. cent. Int. Fish. Res. Inst.</u>			
<u>Barrackpore, 1971</u> , <u>15</u>		(2): 116
<u>16</u>		(3): 200
<u>17</u>		(3): 201
<u>18</u>		(3): 202
* <u>Copeia</u> , 1971, <u>3</u>		(4): 216
* <u>Crustaceana</u> , 1971, <u>20</u> (1)		(3): 136
	<u>22</u> (3)	(4): 210
<u>Curr. Sci.</u> , 1972, <u>41</u> (1)		(1): 20
	<u>41</u> (2)	(1): 37
	<u>41</u> (6)	(2): 112
	<u>41</u> (7)	(3): 124, 143 & 187
	<u>41</u> (11)	(4): 211
	<u>41</u> (12)	(4): 321
	<u>41</u> (14)	(4): 328
	<u>41</u> (15)	(4): 323
	<u>41</u> (16)	(4): 298 & 305
	<u>41</u> (18)	(4): 228 & 299
	<u>41</u> (20)	(4): 317
<u>Dr. C.V. Kulkarni's</u>			
<u>Feliciation Souvenir, Indian</u>			
<u>Fisheries Association, Bombay</u>			
<u>Inaugural Volume, 1969</u>		(4): 212 & 260
<u>Ernakulam, Central Institute</u>			
<u>of Fisheries Technology.</u>			
<u>Half yearly Report, 1971</u>		(3): 147

Ernakulum, Central Institute
of Fisheries Technology, 12 years
of Fisheries Technological
research, 1972

.... (4):239

Farmer and Parliament, 1971, 4(10)

.... (4):342

Fish Technol., 1972, 2(1)

.... (4):223, 250,
 266, 267,
 276, 278,
 283, 292,
 309, 349,
 352, 355,
 356 & 359

2(2)

.... (4):244, 245,
 255, 256,
 274, 277,
 301, 332,
 333, 334,
 346, 357
 & 360

Govt. of Gujarat, Annual Adm.
Report of Fisheries

Department, 1968-69,

.... (4):252

Haryana, Directorate of Fisheries
Annual Report, 1969-1970

.... (4):232

* Hydrobiologia, 1971, 37(2)

.... (3):181

37(3-4)

.... (3):168 & 169

38(1)

.... (3):180 & 186

38(2)

.... (3):128, 191
 & 209

Indian J. Biochem. Biophys.

1972, 2(1)

.... (3):127

Indian J. exp. Biol., 1972, 10(1)

.... (3):130, 162

Indian J. Fish., 1967, 14(1 & 2)

.... 171
 (2):45, 46, 47,
 48, 49, 55,
 56, 57, 66,
 67, 70, 72,
 75, 78, 84,
 97, 106, 110,
 111 & 117

- Indian J. Fish., 1968, 15(1 & 2) (2): 41, 51, 58,
61, 68, 69,
76, 77, 80,
86, 94, 101,
102, 103,
107, 108, 109,
114, 115 &
120
- 1969, 16(1 & 2) (3): 121, 123,
125, 126, 133,
142, 144, 146,
163, 164, 174,
176, 177, 178,
179, 189, 190,
195, 197 &
206
- Indian Eng , 1972, 22(5) (4): 315
- J. Bombay nat. Hist.
Soc., 1971, 68(2) (3): 141
68(3) (2): 52
1972, 69(1) (4): 234, 257,
362 & 364
- J. exp. Biol., 1971, 55(2) (1): 36
55(3) (1): 14
- * J. Fish Biol., 1971, 3(4) (1): 24
- J. Inland Fish. Soc. India
1971, 3 (1): 3, 4, 5, 6,
7, 8, 11, 12,
15, 17, 18,
22, 25, 26,
27, 29, 31,
32, 33, 34,
& 38
- J. mar. biol. Ass. India, 1971, 13(1&2) (2): 50, 54, 59,
62, 64, 65,
73, 74, 81,
82, 87, 89,
90, 91, 96,
105, 113 &
119

- * J. Zool., Lond., 1971, 163 (4): 289
165(Part II)... (4): 280
 1972, 167 (4): 247
- J. zool. Soc. India, 1970, 22(1&2) (4): 231, 236, 237,
 284, 285, 293,
 311 & 348
 1971, 23(1) (4): 251, 291, 354,
 361 & 363
23(2) (4): 258, 259, 281,
 302, 303, 304,
 307 & 312
- Misc. Contr. cent. Inl. Fish.
Res. Inst., Barrackpore, 1971, (7) (4): 336
 1972, (8) (4): 213
- * Parasitology, 1971, 62(2) (1): 13
- Proc. Indian Acad. Sci. (B), 1971, 74(6) (2): 104
 1972, 75(1) (2): 53 & 92
75(4) (2): 71
75(6) (4): 225 & 272
76(3) (4): 341
76(4) (4): 294
- Proc. Indian nat. Sci. Acad. (B),
 1971, 37(4) (3): 157 & 165
- Proc. nat. Acad. Sci., India (B),
 1971, 41(3) (4): 288, 300,
 316 & 344
- Proc. zool. Soc., Calcutta, 1971, 24(1) (3): 132
- Proceeding of the seminar on
"Production of Quality Fish
Seed for Fish Culture" sponsored
by ICAR at the CIFRI, Barrackpore,
on November, 1 & 2, 1968 (3): 129, 131, 134,
 137, 138, 145,
 151, 153, 159,
 172, 173, 175,
 185, 194, 198,
 199, 203, 207
 & 208

Proceedings of the Symposium on
"Science and India's Food Problem"
organised by Indian Council of
Agriculture Research and Indian
National Science Academy 1967

.....	(3): 154, 158 & 161
<u>Rec. zool. Surv. India</u> , 1966, <u>64</u> (1-4) (4): 347
<u>Sankhya</u> (B), 1971, <u>33</u> (3 & 4) (3): 139
<u>Sci. & Cult.</u> , 1971, <u>37</u> (8) (1): 16
<u>37</u> (9) (1): 2
<u>37</u> (12) (1): 30 & 40
1972, <u>38</u> (1) (2): 98
<u>38</u> (2) (1): 10
<u>38</u> (8) (4): 286
<u>Sci. Reprtr</u> , 1971, <u>8</u> (6) (2): 100
1972, <u>9</u> (4) (3): 170
<u>9</u> (5) (3): 188
<u>Seafd Export J.</u> , 1971, <u>3</u> (11) (1): 1, 9 & 28
<u>3</u> (12) (1): 19, 21, 35 & 39
1972, <u>4</u> (1) (4): 214, 217, 218, 222, 227, 233, 238, 240, 242, 246, 249, 253, 264, 269, 275, 287, 310, 313, 314, 320, 327, 330, 335, 338, 339, 358 & 365
<u>4</u> (2) (2): 42, 44, 60, 88 & 118
<u>4</u> (3) (2): 43, 63, 79, 83, 85, 93 & 95
<u>4</u> (4) (3): 150 & 156
<u>4</u> (5) (3): 166 & 182
<u>4</u> (6) (3): 122, 155, 167, 183 & 205
<u>4</u> (7) (4): 273, 290, 324 & 351
<u>4</u> (8) (4): 215, 254, 365, 319, 325 & 331

Section of Ichthyology and Fisheries
Dept of Zoology, Seifia College,
Bhopal

.... (2): 99

Souvenir, Silver Jubilee of
CIFRI, Barrackpore, 1972

.... (4): 219, 221, 224,
 226, 229, 230,
 235, 247, 248,
 263, 268, 270,
 271, 279, 282,
 295, 296, 297,
 306, 308, 318,
 322, 323, 326,
 329, 337, 340,
 343, 345, 350 &
 353

Souvenir, Silver Jubilee of
Indian Indipendence, Directorate
of Fisheries, West Bengal, 1972

.... (3): 135, 140, 148,
 149, 152, 160,
 184, 192, 193,
 196 & 204

Vest. cs. Spol. Zool., 1972, 36(1)

.... (1): 23

